

Material Safety Data Sheet

CS: 1.4.93

Page: 1 of 5

Infosafe No™ IA1T9	Issue Date : February 2012	ISSUED by AUTOTECH
--------------------	----------------------------	--------------------

Product Name **CRYSTAL GLAZE PAINT PROTECTION**

Not classified as hazardous according to criteria of NOHSC

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name CRYSTAL GLAZE PAINT PROTECTION
Company Name AUTOTECH Group Australia
Address 210 Canterbury Road Canterbury
VIC 3126 Australia
Telephone/Fax Number Tel: 1300 330 822
Fax: (03) 9888 6944
Recommended Use Vehicle protector and polish.

2. HAZARDS IDENTIFICATION

Hazard Classification Classified as HAZARDOUS according to the criteria of NOHSC. .
HAZARDOUS SUBSTANCE.
DANGEROUS GOODS.
Hazard classification according to the criteria of NOHSC.
Dangerous goods classification according to the Australia dangerous goods code.

Risk Phrase(s) Classified as hazardous according to criteria of NOHSC.
R10 Flammable.
R38 Irritating to skin.
R65 Harmful: may cause lung damage if swallowed.

Safety Phrase(s) S23 Do not breathe gas/fumes/vapour/spray.
S24 Avoid contact with skin.
S62 If swallowed, do not induce vomiting; seek medical attention immediately and Show this container or label.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Name	CAS	Proportion
	Kerosene, Petroleum Ingredients	8008-20-6	10-<30 % Balance
	determined not to be hazardous.		

4. FIRST AID MEASURES

Inhalation If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms persist seek medical attention.

Ingestion Do not induce vomiting. Wash out mouth thoroughly with water. If symptoms develop seek medical attention.

Skin Remove contaminated clothing. Wash affected area thoroughly with soap and water. Wash contaminated clothing before re-use or discard. Seek medical attention.

Eye If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and persist seek medical attention.

First Aid Facilities Eyewash and normal washroom facilities

Advice to Doctor Treat symptomatically.

Other Information For advice in an emergency, contact a poisons Information centre Australia 13 1126

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media Use carbon dioxide, dry chemical, foam, water fog or water mist.

Hazards from Combustion Products Under fire conditions this product may emit toxic and /or irritating fumes including carbon monoxide and carbon dioxide.

Specific Hazards Flammable liquid and vapour. Vapour/air mixtures may ignite explosively. Flashback along the vapour trail may occur. Runoff to sewer may create fire or explosion hazard.

Hazchem Code .3Y

Precautions connection with Fire Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes.

CS: 1.4.93

Material Safety Data Sheet

CS: 1.4.93

Page: 2 of 5

Infosafe No™ IA1T9	Issue Date : February 2012	ISSUED by AUTOTECH
--------------------	----------------------------	--------------------

Product Name **CRYSTAL GLAZE PAINT PROTECTION**
Not classified as hazardous according to criteria of NOHSC

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures Wear appropriate personal protective equipment and clothing to minimize exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labeled container. Do not dilute material but contain. Dispose of waste according to federal, Environmental Protection Authority and state regulations. If the spillage enters the waterways contact the Environmental Protection Authority, or your local Waste Management Authority.

7. HANDLING AND STORAGE

Precautions for Safe Handling Avoid contact with skin and eyes. Wear overalls, impervious gloves and safety glasses. Use in designated areas with adequate ventilation. Use approved flammable liquid storage containers in the work area. Prevent release of vapours and mists into workplace air. Keep containers closed when not in use. Take precautionary measures against static discharges. Keep material away from sparks, flames and other igniting sources. Do not empty into drains. Ensure a high level of personal hygiene is maintained when using this product, that is, always wash hands before eating, drinking smoking or using the toilet facilities.

Conditions for Safe Storage Store in a dry, well-ventilated area away from sources of ignition, oxidizing agents, strong acids, foodstuff, and clothing. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and rear the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids. Reference should also be made to all the applicable local and national regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards No exposure value assigned for this specific material by the National Occupational Health & Safety Commission (NOHSC). As With all chemicals, exposure should be kept to the lowest possible levels.

Biological Limit Values No biological limits allocated.

Engineering Controls Provide sufficient ventilation to keep airborne levels below the exposure limits. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a flameproof exhaust ventilation system is required. Refer to AS1940- The storage and handling of flammable and combustible liquids and AS/NZS 2430.3.1:2004: Classification of hazardous areas - examples of area classification - General, for further information concerning ventilation requirements.

Respiratory Protection If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable mist/particulate filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances

Eye Protection Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

Hand Protection Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Body Protection Suitable protective work wear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

CS: 1.4.93

Material Safety Data Sheet

CS: 1.4.93

Page: 3 of 5

Infosafe No™ IA1T9	Issue Date : February 2012	ISSUED by AUTOTECH
--------------------	----------------------------	--------------------

Product Name **CRYSTAL GLAZE PAINT PROTECTION**

Not classified as hazardous according to criteria of NOHSC

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Yellow Viscous, pourable liquid
Odour	Mild petroleum odour
Melting Point	Not available
Boiling Point	>54°C
Solubility in Water	Not available
Specific Gravity	1.03 at 20°C
Vapour Pressure	Not available
Vapour Density (Air=1)	Not available
Evaporation rate	Not available
Flash Point	Not applicable
Flammability	Flammable liquid
Auto-Ignition Temperature	Not applicable
Flammable Limits – Lower	Not available
Flammable Limits - Upper	Not available

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under normal conditions of storage and handling.
Conditions to Avoid	Heat and other sources of ignition.
Incompatible Materials	Strong oxidizing agents.
Hazardous Decomposition Products	Thermal decomposition may result in the release of toxic and/or irritating fumes including carbon monoxide and carbon dioxide.
Hazardous Reactions	Will not occur.

11. TOXICOLOGICAL INFORMATION

Toxicology Information	No toxicity data is available for this specific product.
Inhalation	Inhalation of product vapours may cause irritation of the nose, throat and respiratory system. Prolonged exposure to vapours may cause somnolence, narcosis and CNS depression characterized by dizziness and headache.
Ingestion	Harmful-may cause lung damage if swallowed. Small amounts of liquid aspirated into the respiratory system during ingestion or from vomiting may cause severe pulmonary injury that may lead to death. May cause irritation to the mouth, throat, esophagus and stomach with symptoms of nausea, abdominal discomfort, vomiting and diarrhoea.
Skin	May be irritating to skin. The symptoms may include redness, itching and swelling. Repeated exposure may cause skin dryness and cracking and may lead to dermatitis.
Eye	May be irritating to eyes. The symptoms may include redness, itching and tearing.
Chronic Effects	Prolonged or repeated skin contact may cause defatting leading to dermatitis.

CS: 1.4.93

Material Safety Data Sheet

CS: 1.4.93

Page: 4 of 5

Infosafe No™ IA1T9	Issue Date : February 2012	ISSUED by AUTOTECH
--------------------	----------------------------	--------------------

Product Name **CRYSTAL GLAZE PAINT PROTECTION**

Not classified as hazardous according to criteria of NOHSC

12. ECOLOGICAL INFORMATION

Ecotoxicity	Not available.
Persistence / Degradability	Not available.
Mobility	Not available
Environ. Protection	Prevent this material entering waterways, drains and sewers.

13. DISPOSAL CONSIDERATIONS

Disposal Considerations	Disposal of spilled or waste material must be done in accordance with the relevant local and national government regulations. Advise flammable nature. Empty container may contain flammable residues. Do not puncture. Cut or weld empty containers.
--------------------------------	---

14. TRANSPORT INFORMATION

Transport Information	This material is a class 3 - Flammable liquid according to the Australian Code for the transport of dangerous goods by road and rail. (7 th edition) Class 3 - Flammable liquids are incompatible in a placard load with any of the following: <ul style="list-style-type: none">- Class 1 , explosives- Division 2.1, Flammable Gases, (Division 2.1 and Class 3 are incompatible in Transport if both are in tanks or other receptacles with a capacity Individually exceeding 500L.)- Division 2.3, Toxic Gases- Division 4.2 Spontaneously Combustible Substances- Division 5.1 Oxidising Agents and Division 5.2 Organic Peroxides- Class 6 Toxic or Infectious Substances (where the flammable liquid is Nitromethane)- Class 7 Radioactive Substances.
U.N. Number	1993
Proper Shipping Name	FLAMMABLE LIQUID, N.O.S. - (Contains Kerosene)
DG Class	3
Hazchem Code	.3y
Packing Group	III
EPG Number	3AI
IERG Number	14

15. REGULATORY INFORMATION

Regulatory Information	Classified as Hazardous according to criteria of National Occupational Health & Safety Commission (NOHSC), Australia. Classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).
Poisons Schedule	S5
Hazard Category	Harmful, Irritant

16. OTHER INFORMATION

Date of preparation or last revision of MSDS	MSDS Reviewed: February 2012 MSDS Supersedes: February 2005
---	--

Contact Person/Point	DISCLAIMER: The company has taken care in compiling this information. No liability is accepted whether direct or indirect from its application since the conditions of final use are outside the Company's control. The end user is obliged to conform to relevant government regulations and/or patent laws applicable in their respective States of Countries. ...End Of MSDS...
-----------------------------	---

CS: 1.4.93

Material Safety Data Sheet

CS: 1.4.93

Page: 5 of 5

Infosafe No™ IA1T9

Issue Date : February 2011

ISSUED by AUTOTECH

Product Name **CRYSTAL GLAZE PAINT PROTECTION**

Not classified as hazardous according to criteria of NOHSC

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acchs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acchs Pty Ltd.
The compilation of MSDS's displayed is the intellectual property of Acchs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acchs Pty Ltd.

CS: 1.4.93