

Material Safety Data Sheet

CS: 1.4.93

Page: 1 of 4

Infosafe No™ LPZBA	Issue Date : February 2012	ISSUED by AUTOTECH
--------------------	----------------------------	--------------------

Product Name **VIP FABRIC PROTECTION - WATER BASED**

Not classified as hazardous according to criteria of NOHSC.

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name VIP FABRIC PROTECTION - WATER BASED
Company Name AUTOTECH GROUP
Address 210 Canterbury Road Canterbury
VIC 3126 Australia
Telephone/Fax Number Tel: 1300 330 822
Fax: (03) 9888 6944
Recommended Use Fabric and upholstery waterproofing and protectant

2. HAZARDS IDENTIFICATION

Hazard Classification NON-HAZARDOUS SUBSTANCE.
NON-DANGEROUS GOODS.
Hazard classification according to the criteria of NOHSC.
Dangerous goods classification according to the Australia Dangerous Goods Code.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Composition, information on ingredients Chromium complex, fatty acid derivatives, alcohol

Ingredients	Name	CAS	Proportion
	Ingredients determined not to be hazardous	-	100 %

4. FIRST AID MEASURES

Inhalation If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms persist seek medical attention.
Ingestion Do not induce vomiting. Wash out mouth thoroughly with water. If symptoms develop seek medical attention.
Skin Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.
Eye If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and persist seek medical attention.
First Aid Facilities Eyewash and normal washroom facilities
Advice to Doctor Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media Use appropriate fire extinguisher for surrounding environment.
Hazards from Combustion Products Non-combustible liquid
Specific Hazards This product is non-combustible. However, following evaporation of aqueous component under fire conditions, the non-aqueous component may decompose and/or burn producing oxides of carbon. As a water based product, if spilt on electrical equipment the product will cause short-circuits.
Precautions in connection with Fire Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures Wear appropriate personal protective equipment and clothing to minimise exposure. Increase ventilation. Slippery when spilled. If possible contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Do not dilute material but contain.

CS: 1.4.93

Material Safety Data Sheet

CS: 1.4.93

Page: 2 of 4

Infosafe No™ LPZBA	Issue Date : February 2012	ISSUED by AUTOTECH
--------------------	----------------------------	--------------------

Product Name **VIP FABRIC PROTECTION - WATER BASED**

Not classified as hazardous according to criteria of NOHSC.

Dispose of waste according to federal, Environmental Protection Authority and state regulations. If the spillage enters the waterways contact the Environmental Protection Authority, or your local Waste Management Authority.

7. HANDLING AND STORAGE

Precautions for Safe Handling	Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Avoid inhalation of vapours and mists, and skin or eye contact. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.
Conditions for Safe Storage	Store in a dry, well-ventilated area, out of direct sunlight. Store at room temperature (15-25°C recommended). Do not expose to moisture. Store in suitable, labelled containers. Keep containers closed when not in use. Ensure that storage conditions comply with applicable local and national regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards	No exposure standards have been established for the mixture by the National Occupational Health & Safety Commission (NOHSC).
Biological Limit Values	No biological limits allocated.
Engineering Controls	Use with good general ventilation. If mists or vapours are produced, local exhaust ventilation should be used.
Respiratory Protection	If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable mist/particulate filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances
Eye Protection	Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
Hand Protection	Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
Body Protection	Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended.. Industrial clothing should conform to the specifications detailed in AS/NZS 2919: Industrial clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Blue green liquid
Odour	Not available
Melting Point	Not applicable
Boiling Point	>100°C
Solubility in Water	Completely miscible
Solubility in Organic Solvents	Soluble in polar solvents
Specific Gravity	(20°C): 1.00
pH Value	(20g/l) at 20°C: 6.8
Vapour Pressure	Not available
Vapour Density (Air=1)	Not available
Viscosity	<100 centipoise Flash
Point	Not applicable
Flammability	Non combustible liquid

CS: 1.4.93

Material Safety Data Sheet

CS: 1.4.93

Page: 3 of 4

Infosafe No™ LPZBA	Issue Date : February 2012	ISSUED by AUTOTECH
--------------------	----------------------------	--------------------

Product Name **VIP FABRIC PROTECTION - WATER BASED**

Not classified as hazardous according to criteria of NOHSC.

Auto-Ignition Temperature	Not available
Flammable Limits - Lower	Not applicable
Flammable Limits - Upper	Not applicable

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under normal conditions of storage and handling.
Conditions to Avoid	Moisture and heat
Incompatible Materials	Strong oxidizing agents
Hazardous Decomposition Products	This product is non-combustible. However, following evaporation of aqueous component under fire conditions, the non-aqueous component may decompose and/or burn producing oxides of carbon.
Hazardous Polymerization	Will not occur.

11. TOXICOLOGICAL INFORMATION

Toxicology Information	LD50 (Oral, Rat): >2000 mg/kg
Inhalation	Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.
Ingestion	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.
Skin	May be irritating to skin. The symptoms may include redness, itching and swelling.
Eye	May be irritating to eyes. The symptoms may include redness, itching and tearing.
Chronic Effects	Not available

12. ECOLOGICAL INFORMATION

Ecotoxicity	No ecological data are available for this material.
Persistence/ Degradability	Product is biodegradable.
Mobility	Not available
Environ. Protection	Do not discharge this material into waterways, drains and sewers.

13. DISPOSAL CONSIDERATIONS

Disposal Considerations	The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.
--------------------------------	--

14. TRANSPORT INFORMATION

Transport Information	Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).
------------------------------	---

15. REGULATORY INFORMATION

Regulatory Information	Not classified as Hazardous according to criteria of National Occupational Health & Safety Commission (NOHSC), Australia. Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).
Poisons Schedule	Not Scheduled

16. OTHER INFORMATION

Date of preparation or last revision of MSDS	MSDS Reviewed: February 2012 MSDS Supersedes: February 2005
---	--

CS: 1.4.93

Material Safety Data Sheet

CS: 1.4.93

Page: 4 of 4

Infosafe No™ LPZBA	Issue Date : February 2012	ISSUED by AUTOTECH
--------------------	----------------------------	--------------------

Product Name **VIP FABRIC PROTECTION - WATER BASED**

Not classified as hazardous according to criteria of NOHSC.

Contact Person/Point **DISCLAIMER:** The company has taken care in compiling this information. No liability is accepted whether direct or indirect from its application since the conditions of final use are outside the Company's control. The end user is obliged to conform to relevant government regulations and/or patent laws applicable in their respective States of Countries.
...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.
The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.

CS: 1.4.93