

MATERIAL SAFETY DATA SHEET



Supersedes: None

Date of issue: FEBRUARY 2012

Non Hazardous According to Criteria of Worksafe Australia

RUST PROOFER

WATER BASED CAVITY RUST PROOFER

IDENTIFICATION			
PRODUCT NAME: Rust Proofer		CODE:	
OTHER NAMES: None		UN No:	Not Allocated
		DA NGEROUS GOODS CLASS:	Not Allocated
		SUBSIDIARY RISK:	Not Allocated
		HAZCHEM CODE:	Not Allocated
		POISON SCHEDULE:	Not Allocated
USE: Cavity water proofing agent for vehicles			
PHYSICAL PROPERTIES			
APPEARANCE:	white grey viscous liquid	FLAMMABILITY LIMITS %:	UEL Not established LEL Not established
SOLID CONTENT:		SPECIFIC GRAVITY:	1.20 -1.30
pH:	8.0 - 9.0	VISCOSITY	
ELONGATION AT BREAK:		DRYING TIME:	~ 1 hour
OTHER PROPERTIES:			
INGREDIENTS			
CHEMICAL ENTITY	CAS No.	PROPORTION % (w/w)	
Aqueous Acrylic Polymer Dispersion	-	30 max	
Preservative	-	1 max	

Product: Rust Proofer

HEALTH HAZARD INFORMATION	
HEALTH EFFECTS - ACUTE	
SWALLOWED:	May cause irritation of the mucous membranes of the mouth and throat.
EYE:	Possibility irritating.
SKIN:	Irritating to skin upon repeated or prolonged contact.
INHALED:	Vapor or mist can irritate the nose, throat and lungs and cause headache, nausea, drowsiness, slurred speech, dizziness, stupor and unconsciousness.
HEALTH EFFECTS - CHRONIC	
FIRST AID	
SWALLOWED:	If swallowed dilute by giving 2 glasses of water to drink. See a physician
EYE:	Flush eyes with a large amount of water for at least 15 minutes See physician if irritation persists
SKIN:	Clear with water and skin cleanser immediately.
INHALED:	Move subject to fresh air
FIRST AID FACILITIES:	In all cases seek medical advice

PRECAUTIONS FOR USE	
PROTECTION AGAINST FIRE/EXPLOSIVE:	General rules of fire prevention should be observed.
HANDLING:	Ensure good ventilation during processing.
PERSONAL PROTECTION	
EYES:	Wear eye protection
HANDS/ARMS etc:	Use rubber gloves and rubber boots
RESPIRATORY	Do not inhale vapours/aerosols.
CLOTHING:	Wear clothing which minimises skin contact
FLAMMABILITY	
Non-flammable	

Product: Rust Proofer

SAFE HANDLING INFORMATION

STORAGE & TRANSPORTATION

No classification as hazardous for transport regulations.
Keep container tightly closed and dry. Store in a well-ventilated area.

SPILLS & DISPOSALS

With respect to local regulations, e.g. dispose of to suitable waste incineration plant.

FIRE / EXPLOSION HAZARD

EXTINGUISHING MEDIA: - Use dry chemical powder, foam, carbon dioxide, water fog, sand and earth.

OTHER INFORMATION & REFERENCES

Contact Point	Company Name: AUTOTECH Group Australia
	Address: 210 Canterbury Road Canterbury VIC 3126 Australia
	Number: Tel: 1300 330 822

This information relates to the specific material designated and may not be valid for such material used in combination with other chemicals or in any process. Such information is to the best of Autotech's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself/herself as to the suitability and compactness of such information for his/her own particular use.