# SAFETY DATA SHEET

# DEFENSE PAK VINYL & LEATHER SURFACE PROTECTOR

Infosafe No.: 1JBA9
Issued Date: 08/12/2016
Issued by: MotorOne Group Pty Ltd

# 1. IDENTIFICATION

#### **GHS Product Identifier**

DEFENSE PAK VINYL & LEATHER SURFACE PROTECTOR

#### **Company Name**

MotorOne Group Pty Ltd

#### **Address**

275 Canterbury Road Canterbury VIC 3126 Australia

#### Telephone/Fax Number

Tel: (03) 8809 2700 Fax: (03) 9888 6944

# Recommended use of the chemical and restrictions on use

Vinyl and leather protector

# 2. HAZARD IDENTIFICATION

# GHS classification of the substance/mixture

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Eye Damage/Irritation: Category 2A

# Signal Word (s)

WARNING

# Hazard Statement (s)

H319 Causes serious eye irritation.

# Pictogram (s)

**Exclamation mark** 



# Precautionary statement - Prevention

P264 Wash contaminated skin thoroughly after handling

 ${\tt P280\ Wear\ protective\ gloves/protective\ clothing/eye\ protection/face\ protection}.$ 

# Precautionary statement - Response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Ingredients**

Name	CAS	Proportion
Polyethylene glycol trimethylnonyl ether	60828-78-6	20-30 %
2-(2-butoxyethoxy) ethanol	112-34-5	5-10 %
Ingredients determined to be non-hazardous		Balance

#### 4. FIRST-AID MEASURES

#### **Inhalation**

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms persist seek medical attention.

# Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.

#### Skin

Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.

#### Eye contact

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. Seek medical attention.

#### **First Aid Facilities**

Eyewash, safety shower and normal washroom facilities.

#### **Advice to Doctor**

Treat symptomatically.

# **Other Information**

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

#### 5. FIRE-FIGHTING MEASURES

# **Suitable Extinguishing Media**

Dry chemical, water fog or mist, carbon dioxide or foam.

#### **Unsuitable Extinguishing Media**

Do not use water.

#### **Hazards from Combustion Products**

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

# **Specific Hazards Arising From The Chemical**

Combustible liquid. This product will readily burn under fire conditions.

#### **Decomposition Temperature**

Not available

#### **Precautions in connection with Fire**

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

#### **6. ACCIDENTAL RELEASE MEASURES**

#### **Emergency Procedures**

Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

#### 7. HANDLING AND STORAGE

#### **Precautions for Safe Handling**

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Maintain high standards of personal hygiene by washing hands prior to eating, drinking, smoking or using toilet facilities.

#### Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area away from sources of ignition, oxidising agents, strong acids, foodstuffs, and clothing. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. Ensure that storage conditions comply with applicable local and national regulations.

Refer to AS 1940 - The storage and handling of flammable and combustible liquids and AS/NZS 60079.10.1:2009 Explosive atmospheres - Classification of areas - Explosive gas atmospheres, for further information concerning ventilation requirements.

#### **Storage Regulations**

Classified as a Class C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS1940.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Occupational exposure limit values

No exposure standards have been established for the mixture. However, over-exposure to some chemicals may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels.

# **Biological Limit Values**

No biological limits allocated.

#### **Appropriate Engineering Controls**

This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours away from workers' breathing zone. A flame-proof exhaust ventilation system is required. If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn. Refer to relevant regulations for further information concerning ventilation requirements.

Refer to AS 1940 - The storage and handling of flammable and combustible liquids and AS/NZS 2430.3.1:2004: Classification of hazardous areas - Examples of area classification - General, for further information concerning ventilation requirements.

# **Respiratory Protection**

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

# **Eye Protection**

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

#### **Hand Protection**

Wear gloves of impervious material such as nitrile rubber. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

#### **Body Protection**

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Description	Properties	Description
Form	Liquid	Appearance	Opaque, off-white /cream liquid
Colour	Off-white /cream	Odour	Not available
<b>Decomposition Temperature</b>	Not available	Freezing Point	Not available
Boiling Point	100-120°C	Solubility in Water	Infinite solubility
Specific Gravity	0.97 (20°C)	рН	Not available
Vapour Pressure	Not available	Vapour Density (Air=1)	Not available
Evaporation Rate	Not available	Odour Threshold	Not available
Viscosity	Not available	Partition Coefficient: n- octanol/water	Not available
Flash Point	130°C	Flammability	Not flammable
Auto-Ignition Temperature	Not available	Flammable Limits - Lower	Not available
Flammable Limits - Upper	Not available		

#### 10. STABILITY AND REACTIVITY

# **Chemical Stability**

Stable under normal conditions of storage and handling.

#### **Reactivity and Stability**

Reacts with incompatible materials

#### **Conditions to Avoid**

Heat, open flames and other sources of ignition.

#### Incompatible materials

Strong oxidising agents.

## **Hazardous Decomposition Products**

Thermal decomposition may result in the release of toxic and/or irritating fumes, smoke and gases including: carbon dioxide and carbon monoxide.

#### Possibility of hazardous reactions

Reacts with incompatible materials

# **Hazardous Polymerization**

Will not occur.

# 11. TOXICOLOGICAL INFORMATION

# **Toxicology Information**

No toxicity data available for this material. The available acute toxicity data for the ingredients are as follows:

#### **Acute Toxicity - Oral**

2-(2-butoxyethoxy) ethanol LD50 (rat): 4500 mg/kg

Polyethylene glycol trimethylnonyl ether

LD50 (rat): 7460 uL/kg

#### Ingestion

Ingestion may cause irritation to the mouth, throat, oesophagus and stomach with symptoms of nausea, abdominal discomfort, vomiting and diarrhoea.

#### Inhalation

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system. Prolonged exposure to vapours may cause somnolence, narcosis and CNS depression characterised by dizziness and headache.

# Skin

May be irritating to skin. The symptoms may include redness, itching and swelling

#### Eve

Causes serious eye irritation. On eye contact this product will cause tearing, stinging, blurred vision, and redness.

#### Respiratory sensitisation

Not expected to be a respiratory sensitiser.

#### **Skin Sensitisation**

Not expected to be a skin sensitiser.

#### Germ cell mutagenicity

Not considered to be a mutagenic hazard.

#### Carcinogenicity

Not considered to be a carcinogenic hazard.

#### **Reproductive Toxicity**

Not considered to be toxic to reproduction.

#### **STOT-single exposure**

Not expected to cause toxicity to a specific target organ.

#### STOT-repeated exposure

Not expected to cause toxicity to a specific target organ.

#### **Aspiration Hazard**

Not expected to be an aspiration hazard.

#### 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

No ecological data available for this material.

#### Persistence and degradability

Product is a biodegradable surfactant (according to Australian Standard 1792)

#### Mobility

Extremely soluble in water

#### **Bioaccumulative Potential**

Not available

#### **Other Adverse Effects**

Not available

#### **Environmental Protection**

Prevent this material entering waterways, drains and sewers.

#### 13. DISPOSAL CONSIDERATIONS

# **Disposal considerations**

The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.

#### 14. TRANSPORT INFORMATION

#### **Transport Information**

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

#### **U.N. Number**

None Allocated

#### **UN proper shipping name**

None Allocated

#### Transport hazard class(es)

None Allocated

# **Special Precautions for User**

Not available

#### **IMDG Marine pollutant**

No

# **Transport in Bulk**

Not available

#### 15. REGULATORY INFORMATION

#### **Regulatory information**

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

#### **Poisons Schedule**

Not Scheduled

# **16. OTHER INFORMATION**

# Date of preparation or last revision of SDS

SDS reviewed: December 2016 Supersedes: January 2011

#### References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Workplace exposure standards for airborne contaminants, Safe work Australia.

American Conference of Industrial Hygienists (ACGIH)

Globally Harmonised System of classification and labelling of chemicals.

# **Contact Person/Point**

DISCLAIMER: The company has taken care in compiling this information. No liability is accepted whether direct or indirect from its application since the conditions of final use are outside the Company's control. The end user is obliged to conform to relevant government regulations and/or patent laws applicable in their respective States of Countries.

# **END OF SDS**

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyring of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.