Page: 1 of 4

Product Name MAXIM INTERIOR COATING

Not classified as hazardous

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name MAXIM INTERIOR COATING
Company Name MotorOne Group Pty Ltd

Address 275 Canterbury Road Canterbury

VIC 3126 Australia
Telephone/Fax Tel: (03) 8809 2700
Number Fax: (03) 9888 6944

Recommended Use Fabric and upholstery waterproofing and protectant

### 2. HAZARDS IDENTIFICATION

Hazard Not classified as hazardous Classification NON-HAZARDOUS SUBSTANCE.

NON-DANGEROUS GOODS.

Hazard classification according to the criteria of NOHSC.

Dangerous goods classification according to the Australia Dangerous Goods

Code.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Composition,

Chromium complex, fatty acid derivatives, alcohol

information on ingredients

Ingredients Name CAS Proportion Hazard Symbol Risk Phrase

Ingredients - 100 %

determined not to be hazardous

### 4. FIRST AID MEASURES

Inhalation If inhaled, remove affected person from contaminated area. Keep at rest until

recovered. If symptoms persist seek medical attention.

Ingestion Do not induce vomiting. Wash out mouth thoroughly with water. If symptoms

develop seek medical attention.

Skin Wash affected area thoroughly with soap and water. If symptoms develop seek

medical attention.

Eye If in eyes, hold eyelids apart and flush the eyes continuously with running

water. Continue flushing for several minutes until all contaminants are washed

out completely. If symptoms develop and persist seek medical attention.

Advice to Doctor Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

Suitable Use appropriate fire extinguisher for surrounding environment.

**Extinguishing Media** 

Hazards from Non-combustible liquid

Combustion

Products

Specific Hazards This product is non-combustible. However, following evaporation of aqueous

component under fire conditions, the non-aqueous component may decompose and/or burn producing oxides of carbon. As a water based product, if spilt on

electrical equipment the product will cause short-circuits.

Precautions in connection with Fire

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to

vapours or fumes. Water spray may be used to cool down heat-exposed  $\,$ 

containers.

### 6. ACCIDENTAL RELEASE MEASURES

**Emergency Procedures** 

Wear appropriate personal protective equipment and clothing to minimise exposure. Increase ventilation. Slippery when spilled. If possible contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Do not dilute material but contain.

Print Date: 29/09/2011 CS: 1.5.31

Page: 2 of 4

Product Name MAXIM INTERIOR COATING

Not classified as hazardous

Dispose of waste according to federal, Environmental Protection Authority and state regulations. If the spillage enters the waterways contact the Environmental Protection Authority, or your local Waste Management Authority.

## 7. HANDLING AND STORAGE

Precautions for Safe Handling Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Avoid inhalation of vapours and mists, and skin or eye contact. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

Conditions for Safe Storage Store in a dry, well-ventilated area, out of direct sunlight. Store at room temperature (15-25°C recommended). Do not expose to moisture. Store in suitable, labelled containers. Keep containers closed when not in use. Ensure that storage conditions comply with applicable local and national regulations.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards No exposure standards have been established for the mixture by the National Occupational Health & Safety Commission (NOHSC).

Biological Limit

No biological limits allocated.

Values

Engineering Use with good general ventilation. If mists or vapours are produced, local

Controls exhaust ventilation should be used.

Controls
Respiratory
Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable mist/particulate filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary

changes for individual circumstances

**Eye Protection** 

Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications. Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or

Hand Protection

**Body Protection** 

vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance. Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended.. Industrial clothing should conform to the specifications

detailed in AS/NZS 2919: Industrial clothing.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Blue green liquid

Odour Not available
Melting Point Not applicable

**Boiling Point** >100°C

Solubility in Water Completely miscible

Solubility in Organic

Solvents

Soluble in polar solvents

Specific Gravity (20°C): 1.00

**pH Value** (20g/1) at 20°C: 6.8

Vapour Pressure Not available
Vapour Density Not available

(Air=1)

. . .

Viscosity <100 centipoise
Flash Point Not applicable

Flammability Non combustible liquid

Print Date: 29/09/2011 CS: 1.5.31

Page: 3 of 4

Infosafe No™ LPZBA ISSUED by MOTORONE Issue Date : August 2010

Product Name MAXIM INTERIOR COATING

Not classified as hazardous

**Auto-Ignition** 

Not available

**Temperature** 

Not applicable

Flammable Limits -Lower

Not applicable Flammable Limits -

Upper

10. STABILITY AND REACTIVITY

Stable under normal conditions of storage and handling. **Chemical Stability** 

Moisture and heat **Conditions to Avoid** 

Strong oxidizing agents Incompatible

Materials

This product is non-combustible. However, following evaporation of aqueous Hazardous **Decomposition** component under fire conditions, the non-aqueous component may decompose

and/or burn producing oxides of carbon. **Products** 

Will not occur. Hazardous

**Polymerization** 

### 11. TOXICOLOGICAL INFORMATION

LD50 (Oral, Rat): >2000 mg/kg **Toxicology** 

**Information** 

Inhalation of product vapours may cause irritation of the nose, throat and Inhalation

respiratory system.

Ingestion of this product may irritate the gastric tract causing nausea and Ingestion

vomiting.

May be irritating to skin. The symptoms may include redness, itching and Skin

swelling.

May be irritating to eyes. The symptoms may include redness, itching and Eye

tearing.

Not available **Chronic Effects** 

### 12. ECOLOGICAL INFORMATION

No ecological data are available for this material. **Ecotoxicity** 

Product is biodegradable. Persistence /

**Degradability** 

Not available Mobility

**Environ. Protection** Do not discharge this material into waterways, drains and sewers.

### 13. DISPOSAL CONSIDERATIONS

The disposal of the spilled or waste material must be done in accordance with **Disposal** 

applicable local and national regulations. **Considerations** 

### 14. TRANSPORT INFORMATION

**Transport** Not classified as Dangerous Goods according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail (7th edition). Information

### 15. REGULATORY INFORMATION

Not classified as Hazardous according to criteria of National Occupational Regulatory Information

Health & Safety Commission (NOHSC), Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform

Scheduling of Drugs and Poisons (SUSDP).

**Poisons Schedule** Not Scheduled

### 16. OTHER INFORMATION

Date of preparation or last revision of

MSDS Reviewed: August 2010

MSDS Supersedes: February 2005

**MSDS** 

Print Date: 29/09/2011 CS: 1.5.31

CS: 1.5.31

Page: 4 of 4

Infosafe No™ LPZBA Issue Date : August 2010 ISSUED by MOTORONE

Product Name MAXIM INTERIOR COATING

### Not classified as hazardous

### Contact Person/Point

DISCLAIMER: The company has taken care in compiling this information. No liability is accepted whether direct or indirect from its application since the conditions of final use are outside the Company's control. The end user is obliged to conform to relevant government regulations and/or patent laws applicable in their respective States of Countries. ...End Of MSDS...

© Copyright ACOHS Pty Ltd

© copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.

Print Date: 29/09/2011 CS: 1.5.31