

Material Safety Data Sheet

CS: 1.4.22

Page: 1 of 4

Infosafe No™ SILAD Issue Date :August 2008 ISSUED by MING CS: 1.4.22

Product Name : **MING VINYL & PLASTIC REVIVER**

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name MING VINYL & PLASTIC REVIVER
Product Code VPR
Company Name MING STEALSTOPPER (VIC) PTY LTD
Address 275 Canterbury Road Canterbury
Victoria 3126 Australia
Telephone/Fax Number Tel: (03) 9888-6789
Fax: (03) 9888-6944
Recommended Use Sealer/Polisher for use on automotive and other vinyl and plastic surfaces.
Spray and buff off with a soft cloth.

2. HAZARDS IDENTIFICATION

Hazard Classification DANGEROUS GOODS.
NON-HAZARDOUS SUBSTANCE.
Dangerous goods classification according to the Australian Dangerous Goods Code.
Risk Phrase(s) Hazard classification according to the criteria of NOHSC.
R10 Flammable.
Safety Phrase(s) S16 Keep away from sources of ignition - No smoking.
S24/25 Avoid contact with skin and eyes.
S9 Keep container in a well ventilated place.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Name	CAS	Proportion
	Aliphatic alcohols		10-30 %
	Silicones		0-<10 %
	Water		Balance

4. FIRST AID MEASURES

Inhalation Remove the source of contamination or move the affected person to fresh air. Ensure airways are clear. Apply artificial respiration if not breathing. Seek medical attention.
Ingestion Do NOT induce vomiting. Wash out mouth with water. Seek medical attention.
Skin Wash affected area thoroughly with soap and plenty of water. Remove contaminated clothing and wash before reuse or discard. If symptoms persist or develop seek medical attention.
Eye If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing for several minutes until all contaminants are washed off completely. Seek medical attention.
First Aid Facilities Eye wash and normal washroom facilities.
Advice to Doctor Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media Use powder, carbon dioxide or foam.
Hazards from Combustion Products Under fire conditions this product may emit toxic and/or irritating fumes including carbon monoxide and carbon dioxide.
Specific Hazards Flammable liquid.
Hazchem Code 3[Y]
Precautions in connection with Fire Fire-fighters should wear full protective clothing and self contained breathing apparatus (SCBA) operated in positive pressure mode. Water spray may be used to keep fire exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

Material Safety Data Sheet

CS: 1.4.22

Page: 2 of 4

Infosafe No™ SILAD	Issue Date :August 2008	ISSUED by MING	CS: 1.4.22
--------------------	-------------------------	----------------	------------

Product Name : **MING VINYL & PLASTIC REVIVER**

Emergency Procedures Spillages will be slippery. Avoid accidents and clean up immediately. Wear appropriate personal protective equipment and clothing to avoid exposure. Extinguish or remove all sources of ignition. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert non-combustible absorbent material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. If contamination of sewers or waterways occurs inform the local water authorities and EPA in accordance with local regulations. Dispose of waste according to applicable local and national regulations.

7. HANDLING AND STORAGE

Precautions for Safe Handling Use in designated areas with adequate ventilation and away from sources of ignition. Prevent the creation of vapours or mists in the work atmosphere. Keep containers closed when not in use. Practice good personal hygiene, that is, always wash hands after handling, and before eating, drinking, smoking or using the toilet facilities.

Conditions for Safe Storage Store in a cool, dry well-ventilated area away from heat, sources of ignition, oxidising agents, foodstuffs, and out of direct sunlight. Keep the containers tightly sealed when not in use, and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Take precautions against static electricity discharges. Use proper grounding or bonding procedures in the workplace. For information on the design of the store-room reference should be made to Australian Standard AS1940, The Storage and Handling of Flammable and Combustible Liquids. Reference should also be made to any relevant Commonwealth, State or Territory regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards No value is assigned for this specific material by the National Occupational Health and Safety Commission (NOHSC) Australia.

Biological Limit Values No biological limit allocated.

Engineering Controls Use with good general ventilation. However where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a flameproof local exhaust ventilation system is required.

Respiratory Protection Not required under normal conditions of use, however if engineering controls are not effective in controlling airborne exposure then an approved respirator with replaceable organic vapour filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye Protection Safety glasses with side shields or goggles as appropriate recommended. Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

Hand Protection Wear gloves of impervious material such as PVC. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Body Protection Suitable work wear should be worn to protect personal clothing, eg cotton overalls buttoned at neck and wrist. Industrial clothing should conform to the specifications detailed in AS/NZS 2919: Industrial clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Milky white mobile liquid.

Odour Alcoholic odour

Melting Point 0°C

Boiling Point 100°C

Material Safety Data Sheet

CS: 1.4.22

Page: 3 of 4

Infosafe No™ SILAD	Issue Date :August 2008	ISSUED by MING	CS: 1.4.22
--------------------	-------------------------	----------------	------------

Product Name : **MING VINYL & PLASTIC REVIVER**

Solubility in Water	Soluble
Specific Gravity	1.0 approx.
pH Value	6.0 - 8.0
Vapour Pressure	Not available
Vapour Density (Air=1)	Not available
Volatile Component	15%
Flash Point	40°C approx.
Flammability	Flammable
Auto-Ignition Temperature	Not available
Flammable Limits - Lower	Not available
Flammable Limits - Upper	Not available

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under normal conditions of storage and handling.
Conditions to Avoid	Heat and other ignition sources.
Incompatible Materials	Strong oxidising agents.
Hazardous Decomposition Products	Thermal decomposition may result in the release of toxic and/or irritating fumes including carbon monoxide and carbon dioxide.
Hazardous Polymerization	Will not occur.

11. TOXICOLOGICAL INFORMATION

Toxicology Information	No toxicity data is available for this product.
Inhalation	May cause irritation to the nose, throat and respiratory system.
Ingestion	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.
Skin	Repeated exposure may cause skin dryness and cracking and in some cases result in dermatitis.
Eye	May be irritating to eyes, especially when sprayed, which may cause tearing, stinging and redness.

12. ECOLOGICAL INFORMATION

Ecotoxicity	Not available
Persistence / Degradability	Not available
Mobility	Not available
Bioaccumulative Potential	Not available
Environ. Protection	Do not allow product to enter drains, waterways or sewers.

13. DISPOSAL CONSIDERATIONS

Disposal Considerations	The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.
--------------------------------	--

14. TRANSPORT INFORMATION

Transport Information	This material is a Class 3 - Flammable Liquid according to The Australian Code for the Transport of Dangerous Goods by Road and Rail. Class 3 - Flammable Liquids are incompatible in a placard load with any of the
------------------------------	---

Material Safety Data Sheet

CS: 1.4.22

Page: 4 of 4

Infosafe No™ SILAD	Issue Date :August 2008	ISSUED by MING	CS: 1.4.22
--------------------	-------------------------	----------------	------------

Product Name : **MING VINYL & PLASTIC REVIVER**

following:

- Class 1, Explosives
- Class 2.1, Flammable Gases, if both the Class 3 and Class 2.1 dangerous goods are in bulk
- Class 2.3, Toxic Gases
- Class 4.2 Spontaneously Combustible Substances
- Class 5.1 Oxidising Agents and Class 5.2, Organic Peroxides
- Class 6 Toxic Substances (where the flammable liquid is nitromethane)
- Class 7 Radioactive Substances.

U.N. Number

1993

Proper Shipping Name

FLAMMABLE LIQUID, N.O.S. - ALIPHATIC ALCOHOLS

DG Class

3

Hazchem Code

3[Y]

Packaging Method

3.8.3RT1

Packing Group

III

EPG Number

3A1

IERG Number

14

15. REGULATORY INFORMATION

Regulatory Information

Not classified as Hazardous according to criteria of the National Occupational Health & Safety Commission (NOHSC) Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

Poisons Schedule

Not Scheduled

16. OTHER INFORMATION

Date of preparation or last revision of MSDS

MSDS Reviewed: August 2008

Supersedes: January 2003

Contact Person/Point

DISCLAIMER: The company has taken care in compiling this information. No liability is accepted whether direct or indirect from its application since the conditions of final use are outside the Company's control. The end user is obliged to conform to relevant government regulations and/or patent laws applicable in their respective States of Countries.

...End Of MSDS...

© Copyright ACOHS Pty Ltd
Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed on this site is the intellectual property of Acohs Pty Ltd.
Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed on this site is the intellectual property of Acohs Pty Ltd.
The compilation of MSDS's displayed on this site is the intellectual property of Acohs Pty Ltd.
Copying of any MSDS displayed on this site is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed on this site cannot be