Material Safety Data Sheet

Page: 1 of 4

Product Name MING WATER BASED TOPSIDE COMPOUND RUSTPROOFING

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name MING WATER BASED TOPSIDE COMPOUND RUSTPROOFING

Company Name MING STEALSTOPPER (VIC) PTY LTD

Address 275 Canterbury Road Canterbury

Victoria 3126 Australia

Telephone/Fax Tel: (03) 9888-6789 Number Fax: (03) 9888-6944

Other Names Name Product Code

Water Based Paint

2. HAZARDS IDENTIFICATION

Hazard NON-HAZARDOUS SUBSTANCE.
Classification NON-DANGEROUS GOODS.

Hazard classification according to the criteria of NOHSC.

Dangerous goods classification according to the Australia Dangerous Goods

Code.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Name	CAS	Proportion
	Styrene-butadiene copolymer	9003-55-8	30-60 %
	Anionic bitumen emulsion	64742-93-4	30-60 %
	Ethanol	64-17-5	0-<10 %
	Other ingredients determined not to be hazardous, including water		Balance

4. FIRST AID MEASURES

Inhalation Remove the source of contamination or move the affected person to fresh air.

Apply artificial respiration if not breathing. Seek medical attention.

Ingestion
Do NOT induce vomiting. Wash out mouth with water. Seek medical attention.

Skin Wash affected area thoroughly with copious amounts of running water. Remove

contaminated clothing and wash before reuse. If symptoms develop seek medical

attention.

Eye If in eyes, hold eyelids apart and flush the eyes continuously with running

water. Continue flushing for several minutes until all contaminants are washed

off completely. Seek medical attention.

Advice to Doctor Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable Foam, carbon dioxide, dry chemical powder, water spray and water fog.

Extinguishing Media

Hazards from
Under fire conditions this product may emit toxic and/or irritating smoke fumes including carbon monoxide, carbon dioxide and oxides of nitrogen.

Products

Specific Hazards Polymer will burn in a general fire once the water component has been driven

off.

Precautions in Fire-fighters should wear full protective clothing and self contained

connection with Fire breathing apparatus (SCBA) operated in positive pressure mode. Water spray may

be used to keep fire exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

Print Date: 1/07/2008 CS: 1.4.22

2 of Page:

CS: 1.4.22 Infosafe No™ IA1TF Issue Date : July 2008 ISSUED by MING

MING WATER BASED TOPSIDE COMPOUND RUSTPROOFING Product Name

Emergency **Procedures**

Wear appropriate personal protective equipment and clothing to minimise exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for the subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water authorities and EPA in accordance with local regulations.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Wear appropriate protective equipment to prevent exposure. Prevent the creation of vapours or mists in the work atmosphere. Keep containers closed when not in use. Practice good personal hygiene, that is, always wash hands after handling, and before eating, drinking, smoking or using the toilet facilities.

Conditions for Safe Storage

Store in a cool, dry well-ventilated area away from heat and out of direct sunlight. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Prevent from freezing.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards

No value is assigned for this specific material by the National Occupational Health and Safety Commission (NOHSC) Australia, however the available exposure limits on the ingredients as provided by NOHSC are as follows:

Substance TWA STEL

mqq mg/m³ mg/m³ ppm Ethanol 1,000 1,880

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

Biological Limit

Values **Engineering** Controls

No Biological limit available.

Provide sufficient ventilation to keep airborne levels below the exposure limits. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a flameproof local exhaust ventilation system is required.

Respiratory **Protection**

Not required under normal conditions of use. However, if engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapour/mist filter should be used. Reference should be made

to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory

Protective Devices, in order to make any necessary changes for individual circumstances.

Eye Protection Safety glasses with side shields or goggles as appropriate should be worn.

Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial

Applications.

Hand Protection Wear gloves of impervious material such as neoprene or rubber. Final choice of

> appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection,

use and maintenance.

Body Protection Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist.

Industrial clothing should conform to the specifications detailed in AS/NZS

2919: Industrial clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Print Date: 1/07/2008 CS: 1.4.22

Material Safety Data Sheet

Page: 3 of

CS: 1.4.22 Infosafe No™ IA1TF Issue Date : July 2008 ISSUED by MING

MING WATER BASED TOPSIDE COMPOUND RUSTPROOFING Product Name

Dark brown viscous liquid when wet. Dries to black film. Appearance

Melting Point Not available

100°C approx (water) **Boiling Point**

>1

Solubility in Water Soluble Specific Gravity 1 kg/L

pH Value Not available As for water Vapour Pressure

Vapour Density

(Air=1)

Not applicable **Volatile Component Flash Point** Not applicable

Flammability Product is non-flammable. However dried film is combustible and will burn in

a general fire.

Not applicable **Auto-Ignition**

Temperature

Not applicable Flammable Limits -

Lower

Not applicable Flammable Limits -

Upper

10. STABILITY AND REACTIVITY

Chemical Stability Stable under normal conditions of storage and handling.

Incompatible

Strong oxidising agents, strong acids and alkalis.

Materials

Thermal decomposition may result in the release of toxic and/or irritating Hazardous

fumes including carbon monoxide, carbon dioxide and oxides of nitrogen. Decomposition

Products

Will not occur. Hazardous

Polymerization

11. TOXICOLOGICAL INFORMATION

No toxicity data are available for this specific product. The available data Toxicology

for ethanol are as follows: Information LD50 (Oral, Rat): 7,060 mg/kg

LD50 (Oral, Mouse): 3,450 mg/kg LD50 (Inhalation, Rat): 20,000 ppm/10h

Inhalation Inhalation of product vapours may cause irritation of the nose, throat and

respiratory system.

Ingestion May cause nausea, abdominal pain and vomiting.

Skin May cause irritation in contact with the skin, which may result in redness and

itchiness.

Eye May cause eye irritation, tearing, blurred vision and redness.

Chronic Effects Not available

12. ECOLOGICAL INFORMATION

Ecotoxicity Not available Not available Persistence /

Degradability

Mobility Not available Not available Bioaccumulative

Potential

Environ. Protection Prevent this material entering waterways, drains and sewers.

Print Date: 1/07/2008 CS: 1.4.22

Material Safety Data Sheet

4 of Page:

CS: 1.4.22 Infosafe No™ IA1TF Issue Date : July 2008 ISSUED by MING

Product Name MING WATER BASED TOPSIDE COMPOUND RUSTPROOFING

13. DISPOSAL CONSIDERATIONS

The disposal of the spilled or waste material must be done in accordance with Disposal

applicable local and national regulations. Considerations

14. TRANSPORT INFORMATION

Not classified as a Dangerous Good, according to the Australian Code for the **Transport**

Transport of Dangerous Goods by Road and Rail. Information

15. REGULATORY INFORMATION

Not classified as Hazardous according to criteria of National Occupational Regulatory

Health & Safety Commission (NOHSC), Australia. Information

Not classified as a Scheduled Poison according to the Standard for the Uniform

Scheduling of Drugs and Poisons (SUSDP).

Poisons Schedule Not Scheduled

16. OTHER INFORMATION

Date of preparation or last revision of

MSDS Review: July 2008 Supersedes: March 2003

MSDS

Contact Person/Point

DISCLAIMER: The company has taken care in compiling this information. liability is accepted whether direct or indirect from its application since the conditions of final use are outside the Company's control. The end user is obliged to conform to relevant government regulations and/or patent laws applicable in their respective States of Countries.

...End Of MSDS...

© Copyright ACOHS Pty Ltd
Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed on this site is the

intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed on this site is the intellectual property of Acohs Pty Ltd.

The compilation of MSDS's displayed on this site is the intellectual property of Acohs Pty Ltd.

Copyring of any MSDS displayed on this site is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed on this site cannot be

Print Date: 1/07/2008 CS: 1.4.22