

# Material Safety Data Sheet

Page: 1 of 3

Infosafe No. 1JB9I Issue Date : December 2002 ISSUED by MING

Product Name : **MING PETROL INJECTOR CLEANER**

Classified as hazardous according to criteria of NOHSC

## COMPANY DETAILS

**Company Name** MING STEALSTOPPER (VIC) PTY LTD  
**Address** 275 Canterbury Road Canterbury  
Victoria 3126 Australia  
**Tel/Fax** Tel: (03) 9888-6789 Fax: (03) 9888-6944

## IDENTIFICATION

**Product Name** MING PETROL INJECTOR CLEANER  
**Proper Shipping Name** TURPENTINE SUBSTITUTE  
**UN Number** 1300  
**DG Class** 3  
**Packing Group** III  
**Hazchem Code** 3[Y]  
**Poisons Schedule** S5  
**Product Use** A highly concentrated fuel/injector cleaning agent

## Physical Data

**Appearance** Liquid, lighter than water  
**Melting Point** Not applicable  
**Boiling Point** Not applicable  
**Vapour Pressure** Not applicable  
**Specific Gravity** 0.75 g/cm<sup>3</sup>  
**Flash Point** 35°C  
**Solubility in Water** Insoluble in water

## Other Properties

**Volatile Component** Not applicable  
**Autoignition Temp.** Not applicable  
**pH Value** Not applicable  
**Stability** Stable  
**Explosion Limit - Upper** Not applicable  
**Explosion Limit - Lower** Not applicable

## Ingredients

<b>Ingredients</b>	<b><u>Name</u></b>	<b><u>CAS</u></b>	<b><u>Proportion</u></b>
	White spirit	8052-41-3	50-95 %
	Solvent Neutral Paraffinic Hydrocarbon	64742-56-9	5-20 %
	Toluene	108-88-3	1-20 %
	Amine/Amide Carboxylate		5-20 %
	2-Pentanol 4-Methyl	108-11-2	1-10 %
	Linoleic Acid Dimer	6144-28-1	0.1-5 %
	Solvent 150		0-5 %

## HEALTH HAZARD INFORMATION

### Health Effects

**Acute - Swallowed** Harmful  
**Acute - Eye** Irritant

# Material Safety Data Sheet

Page 2 of 3

Infosafe No. 1JB9I Issue Date : December 2002 ISSUED by MING

Product Name : **MING PETROL INJECTOR CLEANER**

Classified as hazardous according to criteria of NOHSC

**Acute - Skin** Irritant. Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis.

**Acute - Inhaled** Harmful by inhalation

## First Aid

**Swallowed** If swallowed, DO NOT INDUCE VOMITING. Seek medical advice immediately

**Eye** If substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes. Seek medical advice.

**Skin** After contact with skin, wash immediately with plenty of soap and water. Seek medical attention if irritation persists.

**Inhaled** Remove patient to fresh air.

## Advice to Doctor

## Other Health Hazard Information

## PRECAUTIONS FOR USE

**Exposure Limits** White Spirit:  
OES/LTEL 100 ppm 575 mg/m<sup>3</sup>  
OES/STEL 125 ppm 720 mg/m<sup>3</sup>  
Toluene:  
OES/LTEL 50 ppm 188 mg/m<sup>3</sup>  
OES/STEL 150 ppm 560 mg/m<sup>3</sup>  
Can be absorbed through the skin.

**Eng. Controls** Use only in well ventilated areas. Do not breathe vapour/fumes. In case of insufficient ventilation, wear suitable respiratory equipment.

## Personal Protection

**Protective Equip.** Wear suitable protective clothing, gloves and eye/face protection. Use good personal hygiene practices. The usual precautions for handling chemicals should be observed.

## Flammability

**Fire Hazards** Flammable

## SAFE HANDLING INFORMATION

## Storage and Transport

**Storage and Transport** Keep container tightly closed and in a well ventilated place. Keep away from oxidising substances. Keep away from heat and sources of ignition. Keep away from food, drink and animal feeding stuffs. Keep away from living quarters. Keep locked up and out of reach of children.

**Proper Shipping Name** TURPENTINE SUBSTITUTE

**EPG Number** 3A1

**IERG Number** 14

**Packaging Method** 5.9.3RT1

## Spills and Disposal

**Spills & Disposal** Shut off all ignition sources. Soak up with inert absorbent. Do not flush spilt material into any public water system. If contamination of drainage systems or water courses is unavoidable, immediately inform appropriate authorities. This material and its container must be disposed of in a safe way. Disposal should be in accordance with local, state or national legislation. Wear suitable protective clothing.

## Fire/Explosion Hazard

**Extinguishing Media** In case of fire use foam, carbon dioxide or dry agent.

**Hazchem Code** 3[Y]

# Material Safety Data Sheet

Page: 3 of 3

Infosafe No. 1JB9I Issue Date : December 2002 ISSUED by MING

Product Name : **MING PETROL INJECTOR CLEANER**

Classified as hazardous according to criteria of NOHSC

**Protective Equipment** Wear breathing apparatus.

## OTHER INFORMATION

**Risk Statement** R20 Harmful by inhalation.  
R45(2) May cause cancer.  
R65 Harmful: may cause lung damage if swallowed.

**Safety Statement** S38 If insufficient ventilation, wear suitable respiratory equipment.  
S45 In case of accident or if unwell, contact a doctor or Poisons Information Centre immediately (show the label where possible).  
S53 Avoid exposure - obtain special instructions before use.  
S62 If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

**Hazard Category** Toxic

## CONTACT POINT

**Contact** DISCLAIMER: The company has taken care in compiling this information. No liability is accepted whether direct or indirect from its application since the conditions of final use are outside the Company's control. The end user is obliged to conform to relevant government regulations and/or patent laws applicable in their respective States of Countries.  
...End Of MSDS...