

Page: 1 of 5

Product Name X-PACK TYPE GLOSS CREAM

Classified as hazardous

### 1. Identification

GHS Product X-PACK TYPE GLOSS CREAM

Identifier

Company Name MotorOne Group Pty Ltd

Address 275 Canterbury Road Canterbury

VIC 3126 Australia

Telephone/Fax Tel: (03) 8809 2700 Number Fax: (03) 9888 6944

Recommended use of

Rubber and vinyl rejuvenator and sealant.

the chemical and restrictions on use

### 2. Hazard Identification

GHS classification of

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and

Safety regulations, Australia

substance/mixture

the

Not classified as Dangerous Goods according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail. (7th edition)

Skin Corrosion/Irritation: Category 2 Sensitization - Skin: Category 1

Signal Word (s) Warning

Hazard Statement (s) H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

Pictogram (s) Exclamation mark



Precautionary P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

statement - P264 Wash contaminated skin thoroughly after handling.

Prevention P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

Precautionary P302+P352 IF ON SKIN: Wash with plenty of soap and water.

statement - Response P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

Precautionary P501 Dispose of contents/container to an approved waste disposal plant.

statement – Disposal

## 3. Composition/information on ingredients

| Ingredients | Name                                   | CAS        | Proportion |
|-------------|--|------------|------------|
|             | Water                                  | 7732-18-5  | 30-60 %    |
|             | Siloxanes and                          | 63148-62-9 | 30-60 %    |
|             | silicones, dimethyl                    |            |            |
|             | Poly-electrolyte                       |            | <10 %      |
|             | Non-ionic Surfactant                   |            | <10 %      |
|             | 5-Chloro-2-methyl-2H-is othiazol-3-one | 26172-55-4 | <10 %      |
|             | 1,2,3-Propanetriol                     | 56-81-5    | <10 %      |

### 4. First-aid measures

Inhalation If inhaled, remove affected person from contaminated area. Keep at rest until

recovered. If symptoms develop and/or persist seek medical attention.

Ingestion
Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical

attention.

Skin Remove all contaminated clothing immediately. Wash affected area thoroughly

with soap and water. Wash contaminated clothing before reuse or discard. Seek

medical attention.

Print Date: 8/05/2013 CS: 1.7.4



Page: 2 of 5

Product Name X-PACK TYPE GLOSS CREAM

Classified as hazardous

Eye contact If in eyes, hold eyelids apart and flush the eyes continuously with running

Use appropriate fire extinguisher for surrounding environment.

water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. Remove contact lenses. If symptoms

develop and/or persist seek medical attention.

First Aid Facilities Eyewash and normal washroom facilities.

Advice to Doctor Treat symptomatically.

### 5. Fire-fighting measures

Suitable

extinguishing media

Hazards from Combustion Products Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and acrid smoke.

Specific hazards arising from the chemical

This product is non combustible. However, following evaporation of aqueous component under fire conditions, the non-aqueous component may decompose

and/or burn.

**Decomposition Temp.** 

Not available

Precautions in connection with Fire

Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) operated in positive pressure mode. Fight fire from

safe location,

#### 6. Accidental release measures

**Emergency Procedures** 

Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. If possible contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Do not dilute material but contain. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

## 7. Handling and storage

Precautions for Safe Handling Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

Conditions for safe storage, including any incompatabilities Store in a cool, dry, well-ventilated area, out of direct sunlight. Store in suitable, labelled containers. Keep containers tightly closed. Store away from incompatible materials. Ensure that storage conditions comply with applicable local and national regulations.

### 8. Exposure controls/personal protection

Occupational exposure limit values

No exposure standards have been established for this material by Safe Work, Australia. However, over-exposure to some chemicals may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels.

As with all chemicals, exposure should be kept to the lowest possible levels. No biological limits allocated.

Biological Limit Values

Protection

3

Appropriate engineering controls Respiratory

Use with good general ventilation. If mists or vapours are produced, local exhaust ventilation should be used.

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable mist filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes

for individual circumstances.

circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

Print Date: 8/05/2013 CS: 1.7.4



5 3 of Page:

Infosafe No™ LQ2AT Issue Date : May 2013 ISSUED by MOTORONE

Product Name X-PACK TYPE GLOSS CREAM

Classified as hazardous

**Hand Protection** Wear gloves of impervious material e.g. PVC. Final choice of appropriate

gloves will vary according to individual circumstances i.e. methods of

handling or according to risk assessments undertaken. Reference should be made

to AS/NZS 2161.1: Occupational protective gloves - Selection, use and

maintenance.

**Body Protection** Suitable protective work wear, e.g. cotton overalls buttoned at neck and wrist

is recommended. Chemical resistant apron is recommended where large quantities

are handled.

9. Physical and chemical properties

**Appearance** Creamy liquid Colour Light blue Odour Lemon/lime Not available Decomposition

**Temperature** 

**Melting Point** 0°C (approximate) 100°C (approximate) **Boiling Point** Solubility in Water Mixes with water

**Specific Gravity** 1.0

pН 7.0 - 8.5Vapour Pressure Not available

Vapour Density

Not available

(Air=1)

**Evaporation Rate** As for water **Odour Threshold** Not available Not available Viscosity **Volatile Component** 70% (by weight) Not available **Partition Coefficient:** 

n-octanol/water

101°C Flash Point

Flammability Non-combustible liquid

**Auto-Ignition Temperature**  Not available

Not available Flammable Limits -

Lower

Not available Flammable Limits -

10. Stability and reactivity

Reactivity Reacts with incompatibles.

**Chemical Stability** Stable under normal conditions of storage and handling.

**Conditions to Avoid** Extremes of temperature and direct sunlight.

Incompatible

Materials

Avoid contact with foodstuffs.

Thermal decomposition may result in the release of toxic and/or irritating Hazardous fumes, smoke and gases including carbon monoxide, carbon dioxide and acrid Decomposition

smoke. **Products** 

Will not occur. Hazardous

**Polymerization** 

### 11. Toxicological Information

Print Date: 8/05/2013 CS: 1.7.4



4 of 5 Page:

Infosafe No™ LQ2AT Issue Date : May 2013 ISSUED by MOTORONE

X-PACK TYPE GLOSS CREAM Product Name

Classified as hazardous

Toxicology

No toxicity data available for this material.

Information

Ingestion Ingestion of this product may irritate the gastric tract causing nausea and

Inhalation Inhalation of product vapours may cause irritation of the nose, throat and

respiratory system.

Skin Irritating to skin. Skin contact will cause redness, itching and swelling.

Repeated exposure may cause skin dryness and cracking and may lead to

dermatitis.

May cause an allergic skin reaction

May be irritating to eyes. The symptoms may include redness, itching and Eve

tearing.

Respiratory

Not expected to be a respiratory sensitiser.

sensitisation

Skin Sensitisation May cause an allergic skin reaction

Germ cell mutagenicity Not considered to be a mutagenic hazard.

Carcinogenicity Not considered to be a carcinogenic hazard. Not considered to be toxic to reproduction. Reproductive

**Toxicity** 

Not expected to cause toxicity to a specific target organ. STOT-single

exposure

Not expected to cause toxicity to a specific target organ. STOT-repeated

exposure

**Aspiration Hazard** Not expected to be an aspiration hazard.

**Chronic Effects** Prolonged or repeated skin contact may cause defatting leading to dermatitis.

12. Ecological information

**Ecotoxicity** No ecological data available for this material.

Persistence and degradability

Not available

Mobility Not available Bioaccumulative

Not available

Potential

Environmental

Prevent this material entering waterways, drains and sewers.

**Protection** 

13. Disposal considerations

Disposal Considerations The disposal of the spilled or waste material must be done in accordance with

applicable local and national regulations.

14. Transport information

**Transport** 

Road and Rail Transport (ADG Code):

Information

Not classified as Dangerous Goods according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International

Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air

Transport Association (IATA) Dangerous Goods Regulations for transport by air.

**IMDG Marine** 

pollutant

15. Regulatory information

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Information

Print Date: 8/05/2013 CS: 1.7.4



5 of 5 Page:

Infosafe No™ LQ2AT Issue Date : May 2013 ISSUED by MOTORONE

Product Name X-PACK TYPE GLOSS CREAM

Classified as hazardous

Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform

Scheduling of Medicines and Poisons (SUSMP)

**Poisons Schedule** Not Scheduled

The listed chemicals are included in Australian Inventory of Chemical AICS (Australia)

Substances (AICS) or otherwise notified under NICNAS.

#### 16. Other Information

Date of preparation or last revision of SDS

Literature References SDS Created: May 2013

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens,

restricted carcinogens and restricted hazardous chemicals.

Workplace exposure standards for airborne contaminants, Safe work Australia.

American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of classification and labelling of chemicals.

...End Of MSDS...

© Copyright ACOHS Pty Ltd

© copyright in the source code of the HTML, FDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.

CS: 1.7.4 Print Date: 8/05/2013