

1 of 5 Page:

Infosafe No™ LO2V6 Issue Date : December 2013 ISSUED by MOTORONE

VELOCITY PAINT STAIN REMOVER Product Name

1. Identification

GHS Product

VELOCITY PAINT STAIN REMOVER

Identifier

Company Name

MotorOne Group Pty Ltd

Address 275 Canterbury Road Canterbury

> VIC 3126 Australia Tel: (03) 8809 2700 Fax: (03) 9888 6944

Telephone/Fax Number

restrictions on use

Recommended use of the chemical and

Spot cleaning on vehicle paintwork.

2. Hazard Identification

Classification of the substance or mixture Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and

Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail. (7th edition)

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion	
	Biodegradable surfactants		10-30 %	
	Soil suspending agents		1-10 %	
	Perfume	N/A	<1 %	
	Dye	N/A	<1 %	
	Ingredients determined not to be hazardous		Balance	

4. First-aid measures

Inhalation If inhaled, remove affected person from contaminated area. Keep at rest until

recovered. If symptoms persist seek medical attention.

Ingestion Do not induce vomiting. Wash out mouth thoroughly with water. If symptoms

develop seek medical attention.

Wash affected area thoroughly with soap and water. If symptoms develop seek Skin

medical attention.

If in eyes, hold eyelids apart and flush the eyes continuously with running Eye contact

water. Continue flushing for several minutes until all contaminants are washed

out completely. If symptoms develop and persist seek medical attention.

First Aid Facilities Eye wash and normal washroom facilities.

Advice to Doctor Treat symptomatically.

5. Fire-fighting measures

Use appropriate fire extinguisher for surrounding environment. Suitable

extinguishing media

Hazards from Combustion

Under fire conditions this product may emit toxic and/or irritating fumes such

as carbon monoxide and carbon dioxide.

Products

Non-combustible. Heat from fire may result in container busting. Specific hazards

arising from the chemical

Decomposition Temp. Not available

Precautions in

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to connection with Fire

vapours or fumes. Water spray may be used to cool down heat-exposed

containers. Fight fire from safe location. This product should be prevented

from entering drains and watercourses.

6. Accidental release measures

Print Date: 6/12/2013 CS: 1.8.4



Page: 2 of 5

Infosafe No^{TM} LQ2V6 Issue Date : December 2013 ISSUED by MOTORONE

Product Name VELOCITY PAINT STAIN REMOVER

Personal precautions, protective equipment and emergency procedures Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent onto spillage. Use clean tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

7. Handling and storage

Precautions for Safe Handling Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Maintain high standards of personal hygiene ie. washing hands prior to eating, drinking, smoking or using toilet facilities.

Conditions for safe storage, including any incompatabilities Store in a cool, dry well-ventilated area away from heat and out of direct sunlight. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks.

8. Exposure controls/personal protection

Occupational exposure limit values

No exposure standards have been established for this material by Safe Work, Australia. As with all chemicals, exposure should be kept to the lowest

possible levels.

Biological Limit

No biological limit allocated.

Values

Protection

Appropriate engineering controls Respiratory

Use with good general ventilation. If mists or vapours are produced local exhaust ventilation should be used.

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable mist filter should be used.

then an approved respirator with a replaceable mist filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes

for individual circumstances.

Eye Protection Safety glasses with side shields, goggles or full-face shield as appropriate

recommended. Final choice of appropriate eye/face protection will vary

according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for

Industrial Applications.

Hand Protection Wear gloves of impervious material such as PVC or rubber. Final choice of

appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection,

use and maintenance.

Body Protection Suitable protective workwear should be worn when working with this material,

e.g. cotton overalls buttoned at neck and wrist.

9. Physical and chemical properties

Appearance Slightly viscous liquid

Colour Red

Odour Slightly fruity
Decomposition Not available

Temperature

Melting Point Not available

Boiling Point 100°C (approximate)

 $Solubility \ in \ Water \\ \hspace*{0.5in} \texttt{Infinite}$

Solubility in Organic

Not available

Solvents

Print Date: 6/12/2013 CS: 1.8.4



5 3 of Page:

Infosafe No™ LO2V6 Issue Date : December 2013 ISSUED by MOTORONE

Product Name VELOCITY PAINT STAIN REMOVER

Specific Gravity 1.02-1.05

nН 6.5 - 7.5

Not available Vapour Pressure

Vapour Density

(Air=1)

Not available

Evaporation Rate Not available **Odour Threshold** Not available

Volatile Component 89-90%

Partition Coefficient:

Not available

n-octanol/water

Not available Flash Point Flammability Non combustible Not available **Auto-Ignition Temperature**

Not applicable Flammable Limits -

Lower

Not applicable Flammable Limits -

Upper

10. Stability and reactivity

Refer to Sec 10: Possibility of hazardous reactions. Reactivity

Chemical Stability Stable under normal conditions of storage and handling.

Conditions to Avoid Extremes of temperature and direct sunlight.

Oxidising agents, Sodium or Calcium Hypochlorite. Reaction with peroxides may Incompatible

result in violent decomposition. Materials

Hazardous Under fire conditions this product may emit toxic and/or irritating fumes

including carbon monoxide and carbon dioxide. Decomposition

Products

Will react with incompatible materials. Possibility of

hazardous reactions

Will not occur. Hazardous

Polymerization

11. Toxicological Information

No toxicity data available for this product. Toxicology

Information

Ingestion Ingestion of this product may irritate the gastric tract causing nausea and

vomiting.

Inhalation Inhalation of product vapours may cause irritation of the nose, throat and

respiratory system.

Skin contact may cause irritation resulting in redness and itching. Skin

Eye May be irritating to eyes. The symptoms may include redness, itching and

tearing.

Respiratory sensitisation Not expected to be a respiratory sensitiser.

Skin Sensitisation Prolonged and repeated contact may result in skin sensitisation and

dermatitis.

Not considered to be a mutagenic hazard. Germ cell

mutagenicity

Carcinogenicity Not considered to be a carcinogenic hazard. Not considered to be toxic to reproduction. Reproductive

Toxicity

Not expected to cause toxicity to a specific target organ. STOT-single

exposure

Print Date: 6/12/2013 CS: 1.8.4



4 of 5 Page:

Infosafe No™ LO2V6 Issue Date : December 2013 ISSUED by MOTORONE

VELOCITY PAINT STAIN REMOVER Product Name

STOT-repeated

Not expected to cause toxicity to a specific target organ.

exposure

Aspiration Hazard Not expected to be an aspiration hazard.

12. Ecological information

Ecotoxicity No ecological data are available for this material.

Persistence and

Not available

degradability

Not available Mobility Not available Bioaccumulative

Potential

Environmental

Prevent this material entering waterways, drains and sewers.

Protection

13. Disposal considerations

Disposal

Dispose of waste according to applicable local and national regulations.

Considerations

14. Transport information

Transport Information Road and Rail Transport (ADG Code):

Not classified as Dangerous Goods according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International

Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air

Transport Association (IATA) Dangerous Goods Regulations for transport by air.

IMDG Marine

pollutant

15. Regulatory information

Regulatory Information Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and

Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform

Scheduling of Medicines and Poisons (SUSMP).

Poisons Schedule Not Scheduled

16. Other Information

Date of preparation or last revision of

SDS Created: December 2013

SDS Literature References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens,

restricted carcinogens and restricted hazardous chemicals.

Workplace exposure standards for airborne contaminants, Safe work Australia.

American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of classification and labelling of chemicals. Contact Person/Point

DISCLAIMER: The company has taken care in compiling this information. No liability is accepted whether direct or indirect from its application since the conditions of final use are outside the Company's control. The end user is obliged to conform to relevant government regulations and/or patent laws

applicable in their respective States of Countries.

...End Of MSDS...

© Copyright ACOHS Ptv Ltd

Print Date: 6/12/2013 CS: 1.8.4



Page: 5 of 5

Product Name VELOCITY PAINT STAIN REMOVER

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.

Print Date: 6/12/2013 CS: 1.8.4