Page: 1 of 6

Infosafe No™ LQ3R0

Issue Date : December 2013

ISSUED by MOTORONE

Product Name : SMARTKOTE FABRIC STAIN REMOVER

Classified as hazardous

1. Identification				
GHS Product Identifier	SMARTKOTE FABRIC STAIN REMOVER			
Company Name	MotorOne Group Pty Ltd			
Address	275 Canterbury Road Canterbury VIC 3126 Australia			
Telephone/Fax Number	Tel: (03) 8809 2700 Fax: (03) 9888 6944			
Recommended use of the chemical and restrictions on use	Upholstery cleaning			
2. Hazard Identifica	ition			
Classification of the substance or mixture	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia. Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)			
	Classification: Acute Toxicity - Oral: Category 4 Acute Toxicity - Dermal: Category 4 Acute Toxicity - Inhalation: Category 4 Skin Corrosion/Irritation: Category 2 Eye Damage/Irritation: Category 2A			
Signal Word (s)	Warning			
Hazard Statement (s)	H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation. H332 Harmful if inhaled.			
Precautionary	P261 Avoid breathing dust/fume/gas/mist/vapours/spray.			
statement – Prevention	P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.			
	P280 Wear protective gloves/protective clothing/eye protection/face protection.			
Precautionary statement – Response	INHALATION P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P312 Call a POISON CENTER or doctor/physician if you feel unwell. INGESTION			
	P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P330 Rinse mouth.			
	SKIN P302+P352 IF ON SKIN: Wash with plenty of soap and water. P312 Call a POISON CENTER or doctor/physician if you feel unwell. P332+P313 If skin irritation occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse.			
	EYE P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.			

Page: 2 of 6

Infosafe No™ LQ3R0

Issue Date :December 2013

ISSUED by MOTORONE

Product Name : SMARTKOTE FABRIC STAIN REMOVER

Classified	as	hazardous
------------	----	-----------

Precautionary P501 Dispose of contents/container to an approved waste disposal plant.

statement – Disposal

Ingredients	Name	CAS	Proportion
	2-Butoxyethanol	111-76-2	0-10 %
	Surfactant blend	Proprietary	0-10 %
	Sodium phosphate compounds	No data	0-10 %
	Dyes		Trace
	Ingredients determined not to be hazardous.		Balance

4. First-aid measures

Inhalation	If inhaled, remove affected person from contaminated area. Apply artificial respiration if not breathing. Seek medical attention.		
Ingestion	Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.		
Skin	Remove all contaminated clothing immediately. Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. Seek medical attention.		
Eye contact	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. Seek medical attention.		
First Aid Facilities	Eye wash and normal washroom facilities.		
Advice to Doctor	Treat symptomatically.		
Other Information	For advice in an emergency, contact a Poisons Information Centre (Phone Australia 13 1126) or a doctor at once.		

5. Fire-fighting measures

Suitable extinguishing media	Use extinguishing media that are suitable for the surrounding combustible materials.	
Hazards from Combustion	Under fire conditions this product may emit toxic and/or irritating fumes and gases including carbon monoxide and carbon dioxide.	
Products Specific hazards arising from the	Non-combustible	
chemical Decomposition Temp.	Not available	
Precautions in connection with Fire	Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers.	

6. Accidental release measures

Personal	Wear appropriate personal protective equipment and clothing to prevent			
precautions,	exposure. Extinguish or remove all sources of ignition and stop leak if safe			
protective equipment	to do so. Increase ventilation. Evacuate all unprotected personnel. If			
and emergency	possible contain the spill. Place inert absorbent, non-combustible material			
procedures	onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal.			
	Dispose of waste according to the applicable local and national regulations.			
	If contamination of sewers or waterways occurs inform the local water and			
	waste management authorities in accordance with local regulations.			

7. Handling and storage

Precautions for Safe	Use only in a well ventilated area. Keep containers sealed when not in use.
Handling	Prevent the build up of mists or vapours in the work atmosphere. Avoid
	inhalation of vapours and mists, and skin or eye contact. Maintain high
	standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

Page: 3 of 6

Infosafe No™	LQ3R0 Issue Date : December 2013 ISSUED by MOTORONE			
Product Name	SMARTKOTE FABRIC STAIN REMOVER			
	Classified as hazardous			
Conditions for safe storage, including any incompatabilities	orage, including suitable, labelled containers. Keep containers closed when not in use. Ensure			
8. Exposure control	ls/personal protection			
Occupational exposure limit values	No exposure value assigned for this material by Safe Work, Australia. However, the available exposure limits for ingredients are listed below: Safe Work, Australia Exposure Standards: Substance TWA STEL NOTICES ppm mg/m ³ ppm mg/m ³			
	Ethylene glycol monobutyl ether 20 96.9 50 242 Sk			
	TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week. STEL (Short Term Exposure Limit): The average airborne concentration over a 15			
Biological Limit Values	<pre>minute period which should not be exceeded at any time during a normal eight-hour workday. 'Sk' Notice: Absorption through the skin may be a significant source of exposure. The exposure standard is invalidated if such contact should occur. Biological Exposure Indice (BEI) from American Conference of Industrial Hygienists (ACGIH) for ingredients are as follows: Determinant Sampling Time Biological Exposure Indice (BEI) ETHYLENE GLYCOL MONOBUTYL ETHER [111-76-2] Butoxyacetic acid</pre>			
Appropriate engineering controls	(BAA), with hydrolysis End of Shift 200 mg/g Creatinine in urine Provide sufficient ventilation to keep airborne levels below the exposure limits. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a local exhaust ventilation system is required.			
Respiratory Protection	atory If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable mist/vapour filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary			
Eye Protection	changes for individual circumstances. Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.			
Hand Protection	Wear gloves of impervious material such as PVC. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.			
Body Protection	Suitable protective workwear should be worn when working with this material, e.g. cotton overalls buttoned at neck and wrist.			

9. Physical and chemical properties Liquid Appearance Colour Clear Odour Lemon Not available Decomposition Temperature 0°C (approximate) **Melting Point** 100°C (approximate) **Boiling Point** Solubility in Water Complete Not available Solubility in Organic Solvents

Print Date: 8/09/2014

Page: 4 of 6

Infosafe No™	LQ3R0 Issue Date : December 2013 ISSUED by MOTORONE		
Product Name	SMARTKOTE FABRIC STAIN REMOVER		
	Classified as hazardous		
Specific Gravity	1.035		
pH	9.0		
Vapour Pressure	Not available		
•	Not available		
Vapour Density (Air=1)	NOT AVAILADIE		
Evaporation Rate	Not available		
Odour Threshold	Not available		
Viscosity	Not available		
Partition Coefficient: n-octanol/water	Not available		
Density	Not available		
Flash Point	Not applicable		
Flammability	Non-combustible		
Auto-Ignition	Not available		
Temperature Flammable Limits - Lower	Not applicable		
Lower Flammable Limits - Upper	Not applicable		
10. Stability and rea	nctivity		
Reactivity	Refer to Sec 10: Possibility of hazardous reactions.		
Chemical Stability	Stable under normal conditions of storage and handling.		
Conditions to Avoid	Avoid contact with foodstuffs. Extremes of temperature and direct sunlight.		
Incompatible Materials	Strong oxidizing agents.		
Hazardous Decomposition Products	Thermal decomposition may result in the release of toxic and/or irritating fumes and gases including carbon monoxide and carbon dioxide.		
Products Hazardous Polymerization	Will not occur.		
11. Toxicological Inf	formation		

Toxicology	No data available
Information	
Ingestion	Harmful if swallowed. Ingestion of this product can cause irritation to the mouth, throat, oesophagus and stomach with symptoms of nausea, abdominal discomfort, vomiting and diarrhoea.
Inhalation	Harmful if inhaled. Inhalation of product vapours can cause irritation of the nose, throat and respiratory system.
Skin	Harmful in contact with skin. Product can be absorbed through skin with resultant harmful systemic effects. Irritating to skin. Skin contact will cause redness, itching and swelling. Repeated exposure may cause skin dryness and cracking and may lead to dermatitis.
Eye	Irritating to eyes. On eye contact this product will cause tearing, stinging, blurred vision, and redness.
Respiratory sensitisation	Not expected to be a respiratory sensitiser.
Skin Sensitisation	Not expected to be a skin sensitiser.
Germ cell mutagenicity	Not considered to be a mutagenic hazard.
Carcinogenicity	Not considered to be a carcinogenic hazard.
	Ethylene Glycol Butyl Ether is listed as Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on

Page: 5 of 6

l	Infos	safe	No™	LQ3R0
---	-------	------	-----	-------

Г

Issue Date :December 2013

ISSUED by MOTORONE

Product Name : SMARTKOTE FABRIC STAIN REMOVER

	Classified as hazardous		
	Cancer (IARC).		
Reproductive	Not considered to be toxic to reproduction.		
Toxicity			
STOT-single	Not expected to cause toxicity to a specific target organ.		
exposure			
STOT-repeated	Not expected to cause toxicity to a specific target organ.		
exposure Aspiration Hazard	Not expected to be an aspiration hazard.		

12. Ecological information

Ecotoxicity	No ecological data available for this material.
Persistence and degradability	Not available
Mobility	Not available
Bioaccumulative	Not available
Potential Environmental Protection	Prevent this material entering waterways, drains and sewers.

13. Disposal considerations

Disposal	Dispose	of	waste	according	to	applicable	local	and	national	regulations.	
Considerations											

14. Transport information

Transport Information	Road and Rail Transport (ADG Code): Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).
	Marine Transport (IMO/IMDG): Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
	Air Transport (ICAO/IATA): Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.
MDG Marine pollutant	No
15. Regulatory in	formation
Regulatory Information	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia. Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Modicipes and Poisons (SUSMP)
Poisons Schedule	Scheduling of Medicines and Poisons (SUSMP). Not Scheduled

16. Other Information

Date of preparation or last revision of	SDS Created: December 2013
SDS	
Literature	Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.
References	Standard for the Uniform Scheduling of Medicines and Poisons. Australian Code for the Transport of Dangerous Goods by Road & Rail. Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals. Workplace exposure standards for airborne contaminants, Safe work Australia. American Conference of Industrial Hygienists (ACGIH). Globally Harmonised System of classification and labelling of chemicals.
Contact Person/Point	DISCLAIMER: The company has taken care in compiling this information. No liability is accepted whether direct or indirect from its application since

Page: 6 of 6

ISSUED by MOTORONE

Infosafe No™ LQ3R0

Issue Date : December 2013

Product Name SMARTKOTE FABRIC STAIN REMOVER

Classified as hazardous

the conditions of final use are outside the Company's control. The end user is obliged to conform to relevant government regulations and/or patent laws applicable in their respective States of Countries. ...End Of MSDS...

© Copyright ACOHS Pty Ltd

© Copyright ACOHS Pty Ltd Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.