

1 of 6 Page:

Infosafe No™ LQ3RF ISSUED by MOTORONE Issue Date : December 2013

NEW DIMENSION FABRIC STAIN REMOVER Product Name

Classified as hazardous

1. Identification

GHS Product

NEW DIMENSION FARRIC STAIN REMOVER

Identifier

Company Name

MotorOne Group Pty Ltd

Address 275 Canterbury Road Canterbury

> VIC 3126 Australia Tel: (03) 8809 2700

Telephone/Fax Number Recommended use of

Fax: (03) 9888 6944 Upholstery cleaning

the chemical and restrictions on use

2. Hazard Identification

Classification of the substance or mixture

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and

Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail. (7th edition)

Classification:

Acute Toxicity - Oral: Category 4 Acute Toxicity - Dermal: Category 4 Acute Toxicity - Inhalation: Category 4 Skin Corrosion/Irritation: Category 2 Eye Damage/Irritation: Category 2A

Signal Word (s) Warning

Hazard Statement (s)

H302 Harmful if swallowed. H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

Pictogram (s)

Exclamation mark



Precautionary statement -

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. Prevention

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face

protection. INHALATION

Precautionary statement - Response

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

INGESTION

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

unwell.

P330 Rinse mouth.

SKIN

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.

Print Date: 2/10/2014 CS: 1.9.601



Page: 2 of 6

Product Name NEW DIMENSION FABRIC STAIN REMOVER

Classified as hazardous

Precautionary statement – Disposal P501 Dispose of contents/container to an approved waste disposal plant.

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	2-Butoxyethanol	111-76-2	0-10 %
	Surfactant blend	Proprietary	0-10 %
	Sodium phosphate compounds	No data	0-10 %
	Dves		Trace
	2		
	Ingredients determined		Balance
	not to be hazardous.		

4. First-aid measures

Inhalation If inhaled, remove affected person from contaminated area. Apply artificial

respiration if not breathing. Seek medical attention.

Ingestion Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate

medical attention.

Skin Remove all contaminated clothing immediately. Wash affected area thoroughly

with soap and water. Wash contaminated clothing before reuse or discard. Seek

medical attention.

Eye contact If in eyes, hold eyelids apart and flush the eyes continuously with running

water. Remove contact lenses. Continue flushing for several minutes until all

contaminants are washed out completely. Seek medical attention.

Advice to Doctor Treat symptomatically.

Other Information For advice in an emergency, contact a Poisons Information Centre (Phone

Australia 13 1126) or a doctor at once.

5. Fire-fighting measures

Suitable extinguishing media

Use extinguishing media that are suitable for the surrounding combustible

materials.

Hazards from Combustion

Under fire conditions this product may emit toxic and/or irritating fumes and

gases including carbon monoxide and carbon dioxide.

Products

Specific hazards

Non-combustible

arising from the chemical

Decomposition Temp. Not available

Precautions in connection with Fire

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to

vapours or fumes. Water spray may be used to cool down heat-exposed

containers.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

7. Handling and storage

Precautions for Safe

Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Avoid inhalation of vapours and mists, and skin or eye contact. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

Print Date: 2/10/2014 CS: 1.9.601



3 of 6 Page:

Infosafe No™ LQ3RF ISSUED by MOTORONE Issue Date : December 2013

NEW DIMENSION FABRIC STAIN REMOVER Product Name

Classified as hazardous

Conditions for safe storage, including any incompatabilities Store in a cool, dry, well-ventilated area, out of direct sunlight. Store in suitable, labelled containers. Keep containers closed when not in use. Ensure that storage conditions comply with applicable local and national regulations.

8. Exposure controls/personal protection

Occupational exposure limit values

Biological Limit

Appropriate

engineering controls

Values

No exposure value assigned for this material by Safe Work, Australia. However,

the available exposure limits for ingredients are listed below:

Safe Work, Australia Exposure Standards:

NOTICES Substance TWA STEL

ppm mg/m³ mg/m³ ppm

Ethylene glycol monobutyl ether 96.9

TWA (Time Weighted Average): The average airborne concentration of a

particular substance when calculated over a normal eight-hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15

minute period which should not be exceeded at any time during a normal

eight-hour workday.

'Sk' Notice: Absorption through the skin may be a significant source of exposure. The exposure standard is invalidated if such contact should occur.

Biological Exposure Indice (BEI) from American Conference of Industrial

Hygienists (ACGIH) for ingredients are as follows:

Sampling Time Biological Exposure Indice Determinant.

(BEI)

ETHYLENE GLYCOL MONOBUTYL ETHER [111-76-2]

Butoxyacetic acid

End of Shift 200 mg/g Creatinine in urine with hydrolysis Provide sufficient ventilation to keep airborne levels below the exposure limits. Where vapours or mists are generated, particularly in enclosed areas,

and natural ventilation is inadequate, a local exhaust ventilation system is

required.

If engineering controls are not effective in controlling airborne exposure Respiratory **Protection**

then an approved respirator with a replaceable mist/vapour filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary

changes for individual circumstances.

Safety glasses with side shields or chemical goggles should be worn. Final **Eve Protection**

choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

Hand Protection Wear gloves of impervious material such as PVC. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of

handling or according to risk assessments undertaken. Reference should be made

to AS/NZS 2161.1: Occupational protective gloves - Selection, use and

maintenance.

Body Protection Suitable protective workwear should be worn when working with this material,

e.g. cotton overalls buttoned at neck and wrist.

9. Physical and chemical properties

Liquid Appearance Colour Clear Odour Lemon

Decomposition

Not available

Temperature

0°C (approximate) **Melting Point** 100°C (approximate) **Boiling Point**

Solubility in Water Complete

Not available Solubility in Organic

Solvents

Print Date: 2/10/2014 CS: 1.9.601



Page: 4 of 6

Infosafe No^{TM} LQ3RF Issue Date : December 2013 ISSUED by MOTORONE

Product Name NEW DIMENSION FABRIC STAIN REMOVER

Classified as hazardous

Specific Gravity 1.035 pH 9.0

Vapour Pressure Not available
Vapour Density
(Air=1)

Evaporation RateNot availableOdour ThresholdNot availableViscosityNot availablePartition Coefficient:Not available

n-octanol/water
Density
Not available
Flash Point
Not applicable
Flammability
Non-combustible
Auto-Ignition
Not available

Temperature
Flammable Limits -

lammable Limits - Not applicable

Lower

Flammable Limits - Not applicable

Upper

10. Stability and reactivity

Reactivity Refer to Sec 10: Possibility of hazardous reactions.

Chemical Stability Stable under normal conditions of storage and handling.

Incompatible Materials

Strong oxidizing agents.

Hazardous Decomposition Thermal decomposition may result in the release of toxic and/or irritating

fumes and gases including carbon monoxide and carbon dioxide.

Products

Hazardous Will not occur.

Polymerization

11. Toxicological Information

Toxicology No data available

Information

Ingestion Harmful if swallowed. Ingestion of this product can cause irritation to the

mouth, throat, oesophagus and stomach with symptoms of nausea, abdominal

discomfort, vomiting and diarrhoea.

Inhalation Harmful if inhaled. Inhalation of product vapours can cause irritation of the

nose, throat and respiratory system.

Skin Harmful in contact with skin. Product can be absorbed through skin with

resultant harmful systemic effects. Irritating to skin. Skin contact will cause redness, itching and swelling. Repeated exposure may cause skin dryness

and cracking and may lead to dermatitis.

Eye Irritating to eyes. On eye contact this product will cause tearing, stinging,

blurred vision, and redness.

Respiratory

Not expected to be a respiratory sensitiser.

sensitisation Skin Sensitisation

Skin Sensitisation Not expected to be a skin sensitiser.

Germ cell Not considered to be a mutagenic hazard.

mutagenicity

Carcinogenicity Not considered to be a carcinogenic hazard.

Ethylene Glycol Butyl Ether is listed as Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on

Print Date: 2/10/2014 CS: 1.9.601



5 of 6 Page:

Infosafe No™ LQ3RF ISSUED by MOTORONE Issue Date : December 2013

Product Name NEW DIMENSION FABRIC STAIN REMOVER

Classified as hazardous

Cancer (IARC).

Reproductive Not considered to be toxic to reproduction.

Toxicity

Not expected to cause toxicity to a specific target organ. STOT-single

exposure

Not expected to cause toxicity to a specific target organ. STOT-repeated

exposure

Aspiration Hazard Not expected to be an aspiration hazard.

12. Ecological information

Ecotoxicity No ecological data available for this material.

Persistence and

Not available

degradability Mobility

Not available Not available

Bioaccumulative **Potential**

Environmental Protection

Prevent this material entering waterways, drains and sewers.

13. Disposal considerations

Disposal Dispose of waste according to applicable local and national regulations. Considerations

14. Transport information

Transport Information

Road and Rail Transport (ADG Code): Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

IMDG Marine pollutant

15. Regulatory information

Regulatory Information Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and

Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform

Scheduling of Medicines and Poisons (SUSMP).

Poisons Schedule Not Scheduled

16. Other Information

Date of preparation or last revision of

Contact Person/Point

SDS

SDS Amendment: October 2014

1. Identification

SDS Created: December 2013

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice. Literature

Standard for the Uniform Scheduling of Medicines and Poisons. References

Australian Code for the Transport of Dangerous Goods by Road & Rail. Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens,

restricted carcinogens and restricted hazardous chemicals.

Workplace exposure standards for airborne contaminants, Safe work Australia.

American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of classification and labelling of chemicals. DISCLAIMER: The company has taken care in compiling this information. No

liability is accepted whether direct or indirect from its application since

Print Date: 2/10/2014 CS: 1.9.601



Page: 6 of 6

Infosafe No^{TM} LQ3RF Issue Date : December 2013 ISSUED by MOTORONE

Product Name NEW DIMENSION FABRIC STAIN REMOVER

Classified as hazardous

the conditions of final use are outside the Company's control. The end user is obliged to conform to relevant government regulations and/or patent laws applicable in their respective States of Countries. ... End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.

Print Date: 2/10/2014 CS: 1.9.601