Material Safety Data Sheet

Page: 1 of 3

Product Name M1 FILMSLIP G

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name M1 FILMSLIP G

Company Name MotorOne Group Pty Ltd

Address 275 Canterbury Road Canterbury

VIC 3126 Australia Tel: (03) 8809 2700

 Telephone/Fax
 Tel:
 (03)
 8809
 2700

 Number
 Fax:
 (03)
 9888
 6944

Recommended Use Slip agent for application of solar film to glass. Refer to product label for

instructions.

2. HAZARDS IDENTIFICATION

HazardNON-HAZARDOUSSUBSTANCE.ClassificationNON-DANGEROUSGOODS.

Hazard classification according to the criteria of NOHSC.

Dangerous goods classification according to the Australia Dangerous Goods

Code.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Liquid

Characterization

 Ingredients
 Name
 CAS
 Proportion

 Water
 7732-18-5
 60-100 %

Water //32-18-5 60-100 %
Non hazardous Mixture 10-30 %
surfactants
Ingredients 0-10 %

determined not to be hazardous

4. FIRST AID MEASURES

Inhalation Remove the source of contamination or move the affected person to fresh air.

Apply artificial respiration if not breathing. Seek medical attention.

Ingestion
Do NOT induce vomiting. Wash out mouth with water. Seek medical attention.

Skin Wash affected area thoroughly with copious amounts of running water. Remove

contaminated clothing and wash before reuse. If symptoms develop seek medical

attention.

Eye If in eyes, hold eyelids apart and flush the eyes continuously with running

water. Continue flushing for several minutes until all contaminants are washed

off completely. Seek medical attention.

 $\begin{tabular}{ll} Advice\ to\ Doctor & & & & & \\ Treat\ symptomatically. \end{tabular}$

5. FIRE FIGHTING MEASURES

Suitable Use appropriate fire extinguisher for surrounding environment.

Extinguishing Media

Hazards from
Under fire conditions this product may emit toxic and/or irritating fumes
combustion
including carbon monoxide, carbon dioxide, oxides of nitrogen and oxides of

Products sulphur.

Precautions in Fire-fighters should wear full protective clothing and self contained

connection with Fire breathing apparatus (SCBA) operated in positive pressure mode. Water spray may

be used to keep fire exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Slippery when spilled. Avoid accidents, clean up immediately. Wear appropriate personal protective equipment and clothing to minimise exposure. Evacuate all unprotected personnel. If possible contain the spill, prevent run-off into drains and waterways. Place inert, non-combustible absorbent material onto spillage. Collect and place in labelled containers. Dispose of the material in accordance with applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water authorities and EPA in

Print Date: 16/06/2008 CS: 1.4.22

2 of 3 Page:

CS: 1.4.22 Infosafe No™ IA1TA Issue Date : June 2008 ISSUED by MOTORONE

M1 FILMSLIP G Product Name

accordance with local regulations.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Wear appropriate protective equipment to prevent exposure. Use in designated areas with adequate ventilation. Prevent the creation of vapours or mists in the work atmosphere. Keep containers closed when not in use. Practice good personal hygiene, that is, always wash hands after handling, and before

eating, drinking, smoking or using the toilet facilities.

Conditions for Safe Storage

Store in a cool, dry, well ventilated area, away from sources of ignition and out of direct sunlight. Keep containers closed when not in use. Store in suitable, labelled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure No exposure limits have been established for this material by the National Occupational Health And Safety Commission (NOHSC) Australia.

Standards

No biological limit allocated.

Biological Limit Values Engineering

Controls

Use with good general ventilation. If mists or vapours are produced local

exhaust ventilation should be used.

If engineering controls are not effective in controlling airborne exposure Respiratory then an approved respirator with a replaceable organic vapour/mist filter Protection should be used. Reference should be made to Australian Standards AS/NZS 1715,

Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes

for individual circumstances.

Eye Protection Safety glasses with side shields or goggles as appropriate should be worn.

> Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial

Applications.

Use chemical resistant gloves, eg. laminated film or nitrile. Final choice of **Hand Protection**

appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection,

use and maintenance.

Body Protection Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist.

Industrial clothing should conform to the specifications detailed in AS/NZS

2919: Industrial clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Liquid

Clear green or blue liquid. Appearance

Odour Slight detergent odour.

Not available **Melting Point Boiling Point** 100°C approx.

Solubility in Water Soluble in water in all proportions.

Specific Gravity 1.0 pH Value Neutral

23 hPa at 20 °C Vapour Pressure

Vapour Density (Air=1)

Not available

Flash Point Not available Flammability Not flammable

10. STABILITY AND REACTIVITY

Chemical Stability Stable under normal conditions of storage and handling.

Print Date: 16/06/2008 CS: 1.4.22

Material Safety Data Sheet

3 of 3 Page:

CS: 1.4.22 Infosafe No™ IA1TA Issue Date : June 2008 ISSUED by MOTORONE

M1 FILMSLIP G Product Name

Oxidising agents Incompatible

Materials

Thermal decomposition may result in the release of toxic and/or irritating Hazardous fumes including carbon monoxide, carbon dioxide, oxides of nitrogen and oxides Decomposition

of sulphur. **Products** Will not occur. Hazardous

Polymerization

11. TOXICOLOGICAL INFORMATION

No toxicity data are available for this specific product. The available data Toxicology

for the ingredients are as follows: Information

Mixed surfactants:

LD50 (Oral, Rat): 2,000-2,700 mg/kg

Inhalation Inhalation of product vapours may cause irritation of the nose, throat and

respiratory system.

Ingestion Ingestion of this product may irritate the gastric tract causing nausea and

vomiting.

Skin May cause redness and itchiness. Repeated exposure may cause skin dryness and

cracking. Repeated or prolonged skin contact may lead to dermatitis.

May cause eye irritation, tearing, blurred vision and redness. Eve

12. ECOLOGICAL INFORMATION

Not available **Ecotoxicity** Not available Persistence /

Degradability

Mobility Not available Not available Bioaccumulative

Potential

Information

Environ. Protection Prevent this material entering waterways, drains and sewers.

13. DISPOSAL CONSIDERATIONS

The disposal of the spilled or waste material must be done in accordance with **Disposal** applicable local and national regulations. Considerations

14. TRANSPORT INFORMATION

Not classified as Dangerous Goods according to the Australian Code for the **Transport** Transport of Dangerous Goods by Road and Rail. Information

15. REGULATORY INFORMATION

Regulatory Not classified as Hazardous according to criteria of the National Occupational

Health & Safety Commission (NOHSC), Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform

Scheduling of Drugs and Poisons (SUSDP).

Poisons Schedule Not Scheduled

16. OTHER INFORMATION

MSDS Review: June 2008 Date of preparation Supersedes: March 2003 or last revision of

Contact Person/Point

MSDS

DISCLAIMER: The company has taken care in compiling this information. liability is accepted whether direct or indirect from its application since the conditions of final use are outside the Company's control. The end user is obliged to conform to relevant government regulations and/or patent laws

applicable in their respective States of Countries. ... End Of MSDS...

© Copyright in the source code of the HTML, FDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed on this site is the intellectual property of Acohs Fty Ltd.
Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed on this site is the intellectual property of Acohs Fty Ltd.
The compilation of MSDS's displayed on this site is the intellectual property of Acohs Fty Ltd.
Copyring of any MSDS displayed on this site is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed on this site is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed on this site cannot be

Print Date: 16/06/2008 CS: 1.4.22