# **SAFETY DATA SHEET**

## **PROTEKTIV WHEEL SEALANT**

Infosafe No.: LQ4RN ISSUED Date : 10/08/2020 ISSUED by: MotorOne Group Pty Ltd

## **1. IDENTIFICATION**

GHS Product Identifier PROTEKTIV WHEEL SEALANT

Company Name MotorOne Group Pty Ltd

Address Level 9, 3 Nexus Court Mulgrave VIC AUSTRALIA

**Telephone/Fax Number** Tel: (03) 8809 2700 Fax: (03) 9888 6944

**Emergency phone number** 0411126474

**Recommended use of the chemical and restrictions on use** Industrial application

## 2. HAZARD IDENTIFICATION

## GHS classification of the substance/mixture

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Skin Corrosion/Irritation: Category 2 Eye Damage/Irritation: Category 2A

Signal Word (s) WARNING

Hazard Statement (s) H315 Causes skin irritation. H319 Causes serious eye irritation.

**Pictogram (s)** Exclamation mark



Precautionary statement – PreventionP264 Wash contaminated skin thoroughly after handling.P280 Wear protective gloves/protective clothing/eye protection/face protection.

## **Precautionary statement – Response**

P302+P352 IF ON SKIN: Wash with plenty of soap and water. P332+P313 If skin irritation occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

## **Other Information**

This product contains an Ototoxic substance.

Combination with noise exposure, even at safe levels, could still cause auditory injuries and hearing loss.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

## Ingredients

Name	CAS	Proportion
Ethanol	64-17-5	5-10 %
Ingredients determined not to be hazardous.		Balance

## **4. FIRST-AID MEASURES**

### Inhalation

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

## Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.

### Skin

Remove all contaminated clothing immediately. Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. Seek medical attention.

#### Eye contact

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. Seek medical attention.

### First Aid Facilities

Eyewash, safety shower and normal washroom facilities.

## Advice to Doctor

Treat symptomatically.

### **Other Information**

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

## **5. FIRE-FIGHTING MEASURES**

### **Suitable Extinguishing Media**

SMALL FIRE : Use dry chemicals,CO2,water spray or alcohol-resistant foam. LARGE FIRE : Use water spray, water fog or alcohol-resistant foam.

### **Hazards from Combustion Products**

Under fire conditions this product may emit toxic and/or irritating fumes and gases including carbon monoxide and other toxic vapors.

## **Specific Hazards Arising From The Chemical**

This product will burn if exposed to fire.

## **Decomposition Temperature**

Not available

## Precautions in connection with Fire

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

## 6. ACCIDENTAL RELEASE MEASURES

## **Emergency Procedures**

Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

## 7. HANDLING AND STORAGE

## **Precautions for Safe Handling**

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Maintain high standards of personal hygiene by washing hands prior to eating, drinking, smoking or using toilet facilities.

## Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area away from sources of ignition, oxidising agents, strong acids, foodstuffs, and clothing. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. Ensure that storage conditions comply with applicable local and national regulations. For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids.

### **Storage Regulations**

Classified as a Class C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS1940.

### **Storage Temperatures**

Do not expose to heat above 48.9°C

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Occupational exposure limit values**

No exposure standards have been established for this material. However, the available exposure limits for ingredients are listed below:

### Ethanol

TWA : 1000 ppm, 1880 mg/m<sup>3</sup>

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eighthour working day, for a five-day week.

Source: Safe Work Australia

**Biological Limit Values** No biological limits allocated.

### **Appropriate Engineering Controls**

This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours away from workers' breathing zone. A flame-proof exhaust ventilation system is required. If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn. Refer to relevant regulations for further information concerning ventilation requirements.

## **Respiratory Protection**

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

## **Eye Protection**

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/ face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 (series) - Eye Protectors for Industrial Applications.

## Hand Protection

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

## **Body Protection**

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

Properties	Description	Properties	Description
Form	Liquid	Appearance	Green in appearance.
Colour	Teal	Odour	Citrus odour
Decomposition Temperature	Not available	Melting Point	0°C
Boiling Point	Not available	Solubility in Water	Soluble
Solubility in Organic Solvents	Not available	Specific Gravity	0.95-1.05 Water=1
рН	5.3-6.3	Vapour Pressure	Not available
Vapour Density (Air=1)	Not available	Evaporation Rate	Not available
Odour Threshold	Not available	Viscosity	2.1 cP(25°C)
Partition Coefficient: n- octanol/water	Not available	Flash Point	>=95°C
Flammability	Combustible	Auto-Ignition Temperature	Not available
Flammable Limits - Lower	Not available	Flammable Limits - Upper	Not available

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## **10. STABILITY AND REACTIVITY**

## **Chemical Stability**

Stable under normal conditions of storage and handling.

## **Reactivity and Stability**

Refer to Sec 10: Possibility of hazardous reactions

## **Conditions to Avoid**

Heat, open flames and other sources of ignition.

## **Incompatible materials** Strong oxidizing agents.

## **Hazardous Decomposition Products**

Thermal decomposition may result in the release of toxic and/or irritating fumes and gases including hydrogen fluoride, hydrogen chloride, carbon monoxide, carbon dioxide and chloride.

## Possibility of hazardous reactions Not available

#### Hazardous Polymerization Will not occur.

## **11. TOXICOLOGICAL INFORMATION**

## **Toxicology Information**

The available toxicity data for material given below.

Acute Toxicity - Oral LD50(Rat): >5000mg/kg

Acute Toxicity - Dermal LD50(Rabbit): >2000mg/kg

Ingestion

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

Inhalation

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

## Skin

Causes skin irritation. Skin contact will cause redness, itching and swelling. Repeated exposure may cause skin dryness and cracking and may lead to dermatitis.

## Eye

Causes serious eye irritation. On eye contact this product will cause tearing, stinging, blurred vision, and redness.

## **Respiratory sensitisation**

Not expected to be a respiratory sensitiser.

Skin Sensitisation

Not expected to be a skin sensitiser.

**Germ cell mutagenicity** Not considered to be a mutagenic hazard.

## Carcinogenicity

Not considered to be a carcinogenic hazard.

#### **Reproductive Toxicity** Not considered to be toxic to reproduction.

**STOT-single exposure** Not expected to cause toxicity to a specific target organ.

**STOT-repeated exposure** Not expected to cause toxicity to a specific target organ.

**Aspiration Hazard** Not expected to be an aspiration hazard.

## Other Information

This product contains an Ototoxic substance. Combination with noise exposure, even at safe levels, could still cause auditory injuries and hearing loss.

## **12. ECOLOGICAL INFORMATION**

**Ecotoxicity** No ecological data available for this material.

Persistence and degradability Not available

**Mobility** Not available

**Bioaccumulative Potential** Not available

Other Adverse Effects Not available

## **Environmental Protection**

Prevent this material entering waterways, drains and sewers.

## **13. DISPOSAL CONSIDERATIONS**

### **Disposal considerations**

The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.

## **14. TRANSPORT INFORMATION**

#### **Transport Information**

Road and Rail Transport (ADG Code): Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

Marine Transport (IMO/IMDG): Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA): Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

#### U.N. Number None Allocated

**UN proper shipping name** None Allocated

Transport hazard class(es) None Allocated

IMDG Marine pollutant No

Transport in Bulk Not available

Special Precautions for User Not available

## **15. REGULATORY INFORMATION**

### **Regulatory information**

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

## **Poisons Schedule**

Not Scheduled

## **16. OTHER INFORMATION**

### Date of preparation or last revision of SDS

SDS Reviewed: August 2020 Supercedes: June 2015

## References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous

chemicals.

Workplace exposure standards for airborne contaminants. Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH). Globally Harmonised System of Classification and Labelling of Chemicals. Code of Practice: Managing Noise and Preventing Hearing Loss at Work.

## **Contact Person/Point**

DISCLAIMER: The company has taken care in compiling this information. No liability is accepted whether direct or indirect from its application since the conditions of final use are outside the Company's control. The end user is obliged to conform to relevant government regulations and/or patent laws applicable in their respective States of Countries.

## **END OF SDS**

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.